


WENTWORTH |117






mono basin mixer deck mounted with pop-up waste with water flow straightener cartridge WEN-VALVE-3/8-C/P 2 x 15mm x 250mm copper tail connections deck mount drill hole diameter 35mm minimum operating pressure 0.2 bar LP

chrome WEN-100-C/P Stocked In UK

**E86** FR-100/5-PLA






3 hole basin mixer deck mounted with pop-up waste with water flow straightener cartridge WEN-VALVE-3/8-C/P 2 x 1/2" x 1/2" nut x 300mm flexipipe connections deck mount drill hole diameter 3 x 27mm minimum operating pressure 0.2 bar LP

chrome WEN-101-C/P Stocked In

Stocked In

**E86** FR-100/5-PLA






basin pillar taps deck mounted with long spouts cartridge WEN-VALVE-1/2-C/P 1/2" x 50mm threaded tail connections deck mount drill hole diameter 22mm minimum operating pressure 0.2 bar LP chrome

WEN-106L-C/P

**Eto** FR-106/4-PLA

(2 are required)





mono bidet mixer deck mounted with pop-up waste with water flow straightener cartridge WEN-VALVE-3/8-C/P 2 x 15mm x 250mm copper tail connections deck mount drill hole diameter 35mm minimum operating pressure 0.2 bar LP


chrome

WEN-110-C/P

Stocked In UK

**E86** FR-100/5-PLA






bath pillar taps deck mounted cartridge WEN-VALVE-3/4-C/P 3/4" x 50mm threaded connections deck mount drill hole diameter 27mm minimum operating pressure 0.2 bar LP

chrome WEN-136-C/P Stocked In UK






2 hole bath filler pillar mounted cartridge WEN-VALVE-3/4-C/P 3/4" x 50mm threaded connections deck mount drill hole diameter 27mm minimum operating pressure 0.2 bar LP

chrome WEN-137-C/P Stocked In UK


Stocked In



bath shower mixer
pillar mounted
with shower kit
cartridge WEN-VALVE-3/4-C/P
3/4" x 50mm threaded connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome WEN-131-C/P

**E&** FR-SHOWER/9-C/P




luxury standpipes floor mounted 22mm x 50mm copper pipe connections

chrome WEN-190-C/P Stocked In

Stocked In





bath shower mixer floor mounted with shower kit cartridge WEN-VALVE-3/4-C/P minimum operating pressure 0.2 bar LP chrome WEN-133+K-C/P

**E&** FR-SHOWER/9-C/P

PLEASE SEE PAGE **211** FOR


**WESTBURY COORDINATING SHOWERS** 

PLEASE SEE PAGE **327** FOR

**TOURNAMENT COORDINATING ACCESSORIES** 








mono basin mixer
deck mounted
with pop-up waste
with water flow straightener
with water flow aerator
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome Stocked In VEC-100/CD-C/P UK

**E86** FR-100/5-PLA






basin pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-201-LTC
hot ceramic cartridge C-201-LTC
1/2" x 47mm threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome Stocked In VEC-106/CD-C/P UK

**E&** FR-106/4-PLA (2 are required)






bath pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 3/4" x 50mm threaded tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome Stocked In VEC-136/CD-C/P UK






2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
standard cartridge C-102-STD
3/4" x 50mm threaded tail connections
deck mount drill hole diameter 27mm

chrome Stocked In ceramic cartridge
VEC-137/CD-C/P UK minimum operating pressure 0.2 bar LP

standard cartridge

VEC-137-C/P UK minimum operating pressure 0.2 bar LP





2 hole bath shower mixer deck mounted with Eris single function handset with water flow straightener cold ceramic cartridge C-201-RTC hot ceramic cartridge C-201-LTC standard cartridge C-102-STD 3/4" x 50mm threaded tail connections deck mount drill hole diameter 27mm

chrome Stocked In ceramic cartridge
VEC-130/CD+K-C/P UK minimum operating pressure 0.2 bar LP

standard cartridge
VEC-130+K-C/P UK
minimum operating pressure 0.2 bar LP

Eto FR-SHOWER/9-C/P



## HANDLE OPTIONS



**CONTRACT** AST-1




**CROSS** AST-2



**LEVER** AST-3





mono basin mixer
deck mounted
with pop-up waste
with water flow straightener
with water flow aerator
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome ceramic cartridge AST-100/CD-C/P AST-300-C/P

UK UK

Stocked In

**E€6** FR-100/5-PLA





basin pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 50mm threaded tail connection
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

 chrome
 Stocked In

 ceramic cartridge
 WK


 AST-106/CD-C/P
 UK

 AST-206/CD-C/P
 UK

 AST-306-C/P
 UK

E86 FR-106/4-PLA (2 are required)






basin pillar tap
deck mounted
with water flow straightener
cold ceramic cartridge C-201-RTC
1/2" x 50mm threaded tail connection
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome
ceramic cartridge
AST-206/CL/CD-V-C/P
cold only basin pillar

Stocked In

UK

**E₺** FR-106/4-PLA




2 hole bath shower mixer
deck mounted
with Eris single function handset
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
standard cartridge for AST-1 only C-102-STD
3/4" x 50mm threaded tail connections
deck mount drill hole diameter 27mm

chrome	Stocked In
ceramic cartridge	
AST-130/CD+K-C/P	UK
AST-330+KIT-C/P	UK
minimum operating	pressure 0.2 bar LP
standard cartridge	
AST-130+KIT-C/P	UK
minimum operating	pressure 0.2 bar LP

Et6 FR-SHOWER/9-C/P






bath pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
3/4" x 50mm threaded tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

Stocked In
UK
UK






2 hole bath filler deck mounted with water flow straightener cold ceramic cartridge C-201-RTC hot ceramic cartridge C-201-LTC standard cartridge for AST-1 only C-102-STD 3/4" x 50mm threaded tail connections deck mount drill hole diameter 27mm


chrome	Stocked In
ceramic cartridge	
AST-137/CD-C/P	UK
AST-337-C/P	UK
minimum operating pressure 0.2 bar	LP
standard cartridge	
AST-137-C/P	UK
minimum operating pressure 0.2 bar	LP





mono sink mixer
deck mounted
with swivel spout
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome	Stocked In
ceramic cartridge AST-150/CD-C/P AST-350-C/P	UK UK
<b>E&amp;</b> FR-FLEXI/5-PLA (2 are required)	




2 hole sink mixer
deck mounted
with swivel spout
with water flow straightener
cold ceramic cartridge C-201-LTC
hot ceramic cartridge C-201-LTC
1/2" x 50mm threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome	Stocked In
ceramic cartridge	
AST-153/CD-C/P	UK
AST-353-C/P	UK

**E&** FR-FLEXI/5-PLA (2 are required)






high neck sink pillar taps deck mounted with water flow straightener cold ceramic cartridge C-201-RTC hot ceramic cartridge C-201-LTC 1/2" x 50mm threaded connections deck mount drill hole diameter 22mm minimum operating pressure 0.2 bar LP 
 chrome
 Stocked In ceramic cartridge

 AST-156/CD-C/P
 UK

 AST-356-C/P
 UK

E86 FR-106/4-PLA (2 are required)






bibtap 100mm
wall mounted
supplied with hot and cold indices
ceramic cartridge AST-VALVE/CD/CL-1/2
1/2" x 20mm threaded tail connections
minimum operating pressure 0.2 bar LP

chrome Stocked In AST-262/CD/C-10-C/P UK

**E86** FR-106/4-PLA








mono basin mixer
deck mounted
with pop-up waste
with water flow aerator
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome WAR-200/CD-C/P Stocked In Dubai

UK

**E86** FR-100/5-PLA





basin pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-201-LTC
hot ceramic cartridge C-201-LTC
1/2" x 50mm threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP


chrome Stocked In WAR-206/CD-C/P UK / Dubai

E& FR-106/4-PLA (2 are required)

WAR-206/CL/CD-C/P cold only basin pillar

**Eto** FR-106/4-PLA


R. A.



exposed bath shower mixer
wall mounted
for use with rigid riser
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 3/4" x 40mm eccentrics
3/4" threaded outlet for rigid riser
minimum operating pressure 0.2 bar LP

chrome Stocked In WAR-221/CD-C/P Dubai






exposed bath shower mixer
pillar mounted
with shower kit
with flow straightener or aerator
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
3/4" x 50mm threaded tail connections
[on pillar legs]
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome WAR-231/CD-C/P Stocked In Dubai

**Eto** FR-SHOWER/9-C/P






adjustable bridge mixer
deck mounted
with swivel spout
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 40mm threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome WAR-207/CD-C/P

Stocked In UK / Dubai

E& FR-106/4-PLA (2 are required)






mono sink mixer
deck mounted
with swivel spout
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome WAR-250/CD-C/P Stocked In Dubai

E& FR-FLEXI/5-PLA (2 are required)






mono sink mixer
deck mounted
with swivel spout
with water flow straightener
cold ceramic cartridge C-201-LTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome WAR-251/CD-C/P Stocked In Dubai

**E&b** FR-FLEXI/5-PLA (2 are required)






2 hole sink mixer
deck mounted
with swivel spout
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 50mm threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome WAR-253/CD-C/P Stocked In Dubai

E& FR-106/4-PLA (2 are required)






2 hole sink mixer
wall mounted
with swivel spout
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 3/4" x 40mm eccentrics
minimum operating pressure 0.2 bar LP

chrome WAR-254G/CD-C/P Stocked In UK / Dubai





high neck sink pillar taps deck mounted with water flow straightener cold ceramic cartridge C-201-RTC hot ceramic cartridge C-201-LTC 1/2" x 50mm threaded connections deck mount drill hole diameter 22mm minimum operating pressure 0.2 bar LP


Stocked In chrome WAR-256/CD-C/P UK

**E86** FR-106/4-PLA (2 are required)

WAR-256CD/CL-C/P UK cold only basin pillar

**E86** FR-106/4-PLA






sink pillar cock deck mounted with swivel spout supplied with hot and cold indices cold ceramic cartridge C-201-RTC hot ceramic cartridge C-201-LTC minimum operating pressure 0.5 bar LP

1/2" inlet

chrome WAR-256C/CD-C/P Stocked In UK / Dubai

**Et₀** FR-106/4-PLA






bibtap 100mm wall mounted supplied with hot and cold indices cold ceramic cartridge C-201-RTC 1/2" x 20mm threaded tail connections minimum operating pressure 0.2 bar LP chrome WAR-262/CD-10-C/P

Stocked In UK / Dubai

**Eto** FR-106/4-PLA





bibtap 150mm wall mounted supplied with hot and cold indices hot ceramic cartridge C-201-LTC 1/2" x 20mm threaded tail connections minimum operating pressure 0.2 bar LP

WAR-262/CD-15-C/P


Stocked In Dubai

**Eto** FR-106/4-PLA



INEW






mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-002-N35
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome Stocked In KOR-100 UK / Dubai

**⊑86** FR-100/5-PLA

#### | NEW






mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-002-N35
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome Stocked In KOR-110 UK / Dubai

**E₽** FR-100/5-PLA

#### **NEW**





exposed bath shower mixer single lever wall mounted bath outlet with water flow aerator ceramic cartridge C-003-N35 2 x 1/2" inlets 1 x 1/2" shower outlet minimum operating pressure 1.0 bar MP

chrome Stocked In KOR-123 UK / Dubai

E86 FR-SHOWER/9-C/P

## | NEW



exposed shower mixer
single lever
wall mounted
ceramic cartridge C-003-N35
2 x 1/2" inlets
1 x 1/2" shower outlet
minimum operating pressure 0.2 bar LP

KOR-149

Stocked In

UK / Dubai

**E₺** FR-SHOWER/9-C/P

chrome

PLEASE SEE PAGE **241** FOR

# **MANUAL SHOWERS**

PLEASE SEE PAGE 303 FOR

# **PHOTON COORDINATING ACCESSORIES**



I NEW VALA 133




mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-004-N35
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome Stocked In VAL-100 UK / Dubai

**E86** FR-100/5-PLA

#### | NEW






mono bidet mixer single lever deck mounted with pop-up waste with water flow aerator ceramic cartridge C-004-N35 2 x 1/2" nut x 550mm flexipipe connections deck mount drill hole diameter 35mm minimum operating pressure 0.2 bar LP

chrome Stocked In VAL-110 UK / Dubai

**⊑%** FR-100/5-PLA

#### **NEW**



exposed bath shower mixer single lever wall mounted bath outlet with water flow aerator ceramic cartridge C-002-N35 2 x 1/2" inlets 1 x 1/2" shower outlet minimum operating pressure 1.0 bar MP

chrome Stocked In VAL-123 UK / Dubai

**E€6** FR-SHOWER/9-C/P

## NEW



exposed bath shower mixer single lever wall mounted ceramic cartridge C-003-N35 2 x 1/2" inlets 1 x 1/2" shower outlet minimum operating pressure 0.2 bar LP

chrome Stocked In VAL-149 UK / Dubai

**⊑შა** FR-SHOWER/9-C/P

PLEASE SEE PAGE **241** FOR

# **MANUAL SHOWERS**


PLEASE SEE PAGE **299** FOR


# PHASE COORDINATING ACCESSORIES



INEW








mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-004-N35
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP


chrome NUR-100 Stocked In UK / Dubai

E& FR-FLEXI/5-PLA (2 are required)

#### | NEW







mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-003-N35
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome NUR-110 Stocked In UK / Dubai

Stocked In

UK / Dubai

**E₽** FR-100/5-PLA

#### **NEW**








exposed bath shower mixer single lever wall mounted bath outlet with water flow straigthener ceramic cartridge C-003-N35 2 x 1/2" inlets 1 x 1/2" shower outlet minimum operating pressure 1.0 bar MP

chrome Stocked In NUR-123 UK / Dubai

Eto FR-SHOWER/9-C/P

## | NEW





exposed shower mixer
single lever
wall mounted
ceramic cartridge C-003-N35
2 x 1/2" inlets
1 x 1/2" shower outlet
minimum operating pressure 1.0 bar MP

NUR-149

Eto FR-SHOWER/9-C/P

chrome

PLEASE SEE PAGE **242** FOR

# **MANUAL SHOWERS**


PLEASE SEE PAGE 323 FOR


# **ELEMENTS COORDINATING ACCESSORIES**



INEW








mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-004-N35
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome MET-100 Stocked In UK / Dubai

**E∜b** FR-FLEXI/5-PLA (2 are required)

### | NEW






mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome MET-110 Stocked In UK / Dubai

**E86** FR-100/5-PLA

#### **NEW**





exposed bath shower mixer single lever wall mounted bath outlet with water flow aerator ceramic cartridge C-003-N35 2 x 1/2" inlets 1 x 1/2" shower outlet minimum operating pressure 1.0 bar MP

chrome MET-123 Stocked In UK / Dubai

Stocked In

UK / Dubai

Eಕೆ FR-SHOWER/9-C/P

#### | NEW








exposed bath shower mixer single lever wall mounted ceramic cartridge C-003-N35 2 x 1/2" inlets 1 x 1/2" shower outlet minimum operating pressure 1.0 bar MP

chrome MET-149

**Ев** FR-SHOWER/9-С/Р

#### | NEW





mono kitchen mixer
single lever
deck mounted
ceramic cartridge C-003-N35
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome MET-150 Stocked In UK / Dubai

**⊑‱** FR-100/5-PLA

PLEASE SEE PAGE **242** FOR

# **MANUAL SHOWERS**


PLEASE SEE PAGE 319 FOR

# LIFE COORDINATING ACCESSORIES



COMMERCIAL TAPS |139






mono basin mixer TMV3 approved thermostatic progressive cartridge PRO-001A-WAX minimum operating pressure 0.2 bar LP chrome PRO-100P-C/P Stocked In UK

**E86** FR-100/5-PLA








single non-concussive self-closing basin push tap 6 second shut off
supplied with hot and cold indices
with water flow aerator
cartridge PRO-167/C+H/VALVE-C/P
1/2" x 50mm threaded tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

PRO-167/C+H-C/P

Stocked In UK / Dubai

**E86** FR-100/5-PLA






protherm in-line thermostatic valve TMV2 approved supplied with 15mm compression fittings 22mm compression fittings available seperately thermostatic ceramic cartridge minimum operating pressure 0.2 bar LP nickel / white PRO-5001-N/P Stocked In UK / Dubai








22mm compression fittings for use with protherm in-line thermostatic vlave

chrome PRO-5001/C-22MM Stocked In UK / Dubai





medical mixer
single long lever
deck mounted
smooth bodied
ceramic cartridge CAR-K40B
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

PRO-300-C/P


Stocked In Dubai

**Eto** FR-100/5-PLA



I-TECH |141






Ascent
infra-red mono basin tap
deck mounted
with rub clean aerator
mains or battery operated
takes standard AA batteries
central processing unit: IR-100/CONTROL
minimum operating pressure 1.0 bar MP

chrome IR-100/ASC-C/P Stocked In UK / Dubai

**E₽** FR-100/5-PLA






Life
infra-red mono basin tap
deck mounted
with rub clean aerator
mains or battery operated
takes standard AA batteries
central processing unit: IR-100/CONTROL
minimum operating pressure 1.0 bar MP

chrome IR-100/LIF-C/P Stocked In UK / Dubai

**E₽6** FR-100/5-PLA






Zoo
infra-red mono basin tap
deck mounted
with rub clean aerator
mains or battery operated
takes standard AA batteries
central processing unit: IR-100/CONTROL
minimum operating pressure 1.0 bar MP

chrome IR-100/Z00-C/P Stocked In UK / Dubai

**E₽** FR-100/5-PLA






Zoo
infra-red mono basin mixer
with adjustable temperature control
with rub clean aerator
deck mounted
mains or battery operated
takes standard AA batteries
ceramic cartridge IR-100/CONTROL
minimum operating pressure 1.0 bar MP

chrome IR-100/Z00T-C/P Stocked In Dubai

**⊑86** FR-100/5-PLA





project line
infra-red mono basin mixer
with rub clean aerator
deck mounted
mains or battery operated
takes standard AA batteries
ceramic cartridge IR-100/CONTROL
minimum operating pressure 1.0 bar MP

chrome IR-100/PRO-C/P Stocked In Dubai

**⊑%** FR-100/5-PLA