


taps showering accessories water saving products

12
year guarantee



EXPORT SPECIFICATIONS MANUAL 2018

VADO

CONTACT US

SALES +44 (0)1934 745160

FAX +44 (0)1934 745161




















EMAIL EXPORT@VADO.COM

WEB WWW.VADO.COM



CONTENTS

TAPS

	19	OMIKA	NEW
	23	KOVERA	
	27	EDIT	
	29	SYNERGIE	
	33	ALTITUDE	
	35	NOTION	
	41	ORIGINS	
	47	GEO	
	53	TÉ FALLS	
	57	TÉ	
	61	LIFE	
	67	SENSE	
	71	ZOO	
	77	PHASE	
	81	PHOTON	
	85	ION	
	89	ASCENT	
	93	ELEMENTS	
	97	MAGMA	



101 MATRIX



105 CHESLEA



109 VICTORIANA



113 KENSINGTON



117 WENTWORTH



121 VECTA



123 ASTRA



127 WARWICK



131 KORE

| NEW



133 VALA

| NEW



135 NURI

| NEW



137 METIZ

| NEW



139 COMMERCIAL TAPS



141 I-TECH



145 CLOAKROOM

151 WASTES & FITTINGS

159 KITCHEN MIXERS




















SHOWERING



169 SHOWER COLUMNS

















174 TABLET/STUDFAST/DX INFO

	179	OMIKA SHOWERS	 NEW
	183	KOVERA SHOWERS	
	187	ALTITUDE SHOWERS	
	191	NOTION SHOWERS	
	195	ORIGINS SHOWERS	
	197	MIX² SHOWERS	
	199	LIFE SHOWERS	
	201	CELSIUS SHOWERS	
	205	PHASE SHOWERS	
	207	PHOTON SHOWERS	
	209	ELEMENTS SHOWERS	
	211	WESTBURY SHOWERS	
	213	VALVE COMPONENT KITS	
	229	EXPOSED SHOWER VALVES	
	231	MANUAL SHOWER VALVES	
	243	DIVERTERS & STOP VALVES	
	247	RIGID RISERS	
	251	OMIKA	 NEW
	253	ATMOSPHERE AIR-INJECTION	
	257	CERES SELF-CLEANING	

261	SHOWERING SOLUTIONS
262	SLIDE RAIL KITS
268	HANDSETS
270	DECK KITS/MINI KITS
274	SHOWER HEADS/ARMS
283	SHATTAFS/HOSES/RAILS
285	BRACKETS/OUTLETS

ACCESSORIES

	287	OMIKA	 NEW
	291	KOVERA	
	295	SPA	
	299	PHASE	
	303	PHOTON	
	307	INFINITY	
	311	LEVEL	
	315	SHAMA	
	319	LIFE	
	323	ELEMENTS	
	327	TOURNAMENT	
	331	BASKETS	
	335	SPARES	
	347	H2ECO	
	348	POLICIES/T&C'S	

| **NEW**

EXPERIENCE OUR PRODUCTS IN FULL 3D.



STEP 1: DOWNLOAD

VIV is available to download for free on the App Store and Google Play Store and works with all iOS and Android devices.

STEP 2: SCAN

Using the **VIV** App, scan the tracker to generate life size **VADO** products in 3D.

STEP 3: EXPERIENCE

Prepare for an enriched digital experience as you bring your favourite **VADO** ranges to life.



UNLEASH YOUR SALES POTENTIAL.

To assist you throughout the selling process, our premium bathroom brassware also features on a variety of valued computer software sites, namely **Virtual Worlds**, **Inno+** and **EQ Software**.



Create 3D digital bathrooms with VR (virtual reality) capability to allow your customers to visualise their new room with VADO products in situ.



Design bathrooms for your customers, using photorealistic renders to allow your customers to visualise their new room with VADO products in situ.



Produce order forms and invoices, control stock, plan production and **improve efficiency** to make your administration process quick and easy. EQ Software is also compatible with Inno+ and Virtual Worlds.

Each platform contains the entire VADO portfolio, with up to date RRP's and imagery; a great tool to support your business.

WE UNDERSTAND YOUR CUSTOMER

With over 30 years of industry leading experience, we'd like to think we know a thing or two about selling premium quality brassware. That's why you can be confident that at **VADO** we make it our priority to know about your customers and tailor our offer to them, to make your job of selling **VADO** easy.

Your customers are important and if they have already contacted you, they are a step closer to buying their perfect bathroom.

The next step is to simplify the process of decision making, which is why our new Consumer Guide is the ultimate manual to help your customers plan and select the right look.



LET'S INSPIRE

Our new Consumer Guide aims to provide the perfect starting point for gaining inspiration and advice for selecting stylish brassware.



With lots of useful information and simplified product selection pages, this guide has been developed in conjunction with your customers, to ensure they get the best possible buying experience with you.

This transformation has not only made it easier for your customers to discover their desired **VADO** essentials, but it also enables you to remain the **expert** throughout the buying process.



TAKE THE PAIN OUT OF SELLING WITH **VADO**

When your customers choose **VADO**, they are receiving the very best of British design and exceptional quality.

We understand that your customers may not always be aware of **VADO**, therefore to provide reassurance and peace of mind, sharing our trade credentials may prove the difference.

WATER SAVING

We can help your customer minimise their utility bills and reduce annual costs, which is why our **Eco** flow regulators both protect the environment and effectively reduce your carbon footprint. (See page 347 for more details)

GUARANTEE

Tested to industry leading standards, our products retain a 12 year guarantee and are designed to be compatible with all standard sanitaryware and household plumbing systems to provide full peace of mind.

SPARES

To ensure your customers enjoy our products for years to come, our extensive inventory of spares and parts will cover any accidental damage or general wear.

○ Burj Khalifa, Dubai, UAE

OUR CREDENTIALS SPEAK FOR THEMSELVES

VADO products are in some of the most prestigious hotel, commercial and residential developments across the world. This cityscape shows a small snapshot of a variety of prestigious projects we have been involved with.

The exceptional quality of our products, outstanding customer service and our agility to support large scale developments makes **VADO** a globally trusted brand.

JW Marriott Marquis, Dubai, UAE ○

○ Central Market, Abu Dhabi, UAE

Serena Hotel, Kampala, Uganda ○

THIS SPECIFICATION MANUAL IS YOUR ULTIMATE GUIDE

We understand that for you reputation is everything, which is why we are focused on helping you to get it right every time.

YOU ARE THE EXPERT



Our aim of this manual is to make you a specialist on our range of products and put you in pole position to effectively sell any **VADO** product.

Not only have we simplified the buying process for your customer, we have simplified it for you.


With the Specifications Manual now organised in accordance with the Consumer Guide, cross-referencing to find product codes is even easier.

This places you, our valued customer, in full control; from initial query through to install.

With **VADO**, you're the **expert**.

TRAIN WITH THE BEST

At **VADO**, we believe in transferring all of our expertise and know-how to allow you to confidently sell every **VADO** product.



MATERIAL LAB AND HYDROLOGICS

A visit to our state-of-the-art facility at Material Lab, London, allows you to discover the latest trends and network with fellow Retailers, Architects and Interior Designers alike, a must for keeping you at the forefront of **VADO** product innovation.

Our Hydrologics Studio in Cheddar has been designed with you in mind and provides a unique learning environment to gain tailored training and product knowledge to become a true **VADO** expert.



product code	page	product code	page	product code	page
ALT-100/CC-C/P	34	AST-206/CL/CD-V-C/P	124	CAR-K40B	339
ALT-100/SB-C/P	34	AST-262/CD/C-10-C/P	126	CAR-KT46	341
ALT-109-2-C/P	34	AST-300-C/P	124	CAR-S35/PHO	340
ALT-1291-C/P	190	AST-306-C/P	124	CEL-001A-WAX	342
ALT-1292-C/P	190	AST-330+KIT-C/P	125	CEL-0021/B-C/P	344
ALT-1293-C/P	190	AST-336-C/P	125	CEL-0022/B-C/P	343
ALT-1294-C/P	190	AST-337-C/P	125	CEL-0023/B-C/P	343
AQB-20X30/SA/A-C/P	276	AST-350-C/P	125	CEL-0024C-PLA	344
AQB-20X30-C/P	278	AST-350-C/P	168	CEL-123T+K-C/P	74
AQB-HANDSET/RO-DB-CP	269	AST-353-C/P	126	CEL-123T-C/P	74
AQB-HANDSET/SQ-DB-CP	269	AST-353-C/P	168	CEL-128D/2-C/P	203
AQB-OV/30/SA-C/P	275	AST-356-C/P	126	CEL-128D/2-TRIM-C/P	228
AQB-OV/30-C/P	278	AST-356-C/P	168	CEL-131T+K-C/P	74
AQB-RO/15/SA-C/P	274	AST-VALVE-3/4-STD	336	CEL-131T-C/P	74
AQB-RO/20/SA-C/P	275	ATM-HANDSET/MF-DB-CP	254	CEL-148/2/3/FLOW-EXT	345
AQB-RO/20-C/P	278	ATM-HANDSET/MF-DB-CP	268	CEL-148/FLOW-EXT	344
AQB-RO/30/SA-C/P	275	ATM-HANDSET/SF-DB-CP	254	CEL-148C/TEMP-EXT	344
AQB-RO/30-C/P	278	ATM-HANDSET/SF-DB-CP	269	CEL-148D/2/RO-C/P	202
AQB-RO/40-C/P	278	ATM-HEAD/RO/B-C/P	255	CEL-148D/2/RO-TRIM	225
AQB-RO/50-C/P	278	ATM-HEAD/RO/B-C/P	277	CEL-148D/2/SQ-C/P	203
AQB-SFMK/RO-C/P	271	ATM-HEAD/SQ/B-C/P	255	CEL-148D/2/SQ-TRIM	225
AQB-SFMK/SQ-C/P	271	ATM-HEAD/SQ/B-C/P	277	CEL-148D/3/RO-C/P	202
AQB-SFMKWQ/RO-C/P	273	ATM-HEADRO/B/SA-C/P	256	CEL-148D/3/RO-TRIM	222
AQB-SFMKWQ/SQ-C/P	273	ATM-HEADRO/B/SA-C/P	276	CEL-148D/3/SQ-C/P	203
AQB-SFSRK/RO-C/P	265	ATM-HEADSQ/B/SA/A-CP	256	CEL-148D/3/SQ-TRIM	223
AQB-SFSRK/SQ-C/P	265	ATM-HEADSQ/B/SA/A-CP	276	CEL-148D/RO-C/P	202
AQB-SQ/20/SA/A-C/P	275	ATM-MFSRK-C/P	255	CEL-148D/RO-TRIM-C/P	227
AQB-SQ/20-C/P	278	ATM-MFSRK-C/P	263	CEL-148D/SQ-C/P	203
AQB-SQ/30/SA/A-C/P	275	ATM-SFSRK/2-C/P	255	CEL-148D/SQ-TRIM-C/P	227
AQB-SQ/30-C/P	278	ATM-SFSRK/2-C/P	267	CEL-149-1/2-C/P	204
AQB-SQ/40-C/P	278	ATO-SOAPDISH-GLS	320	CEL-149-1/2-C/P	230
AQB-SQ/50-C/P	278	ATO-TUMBLER-GLS	320	CEL-149-3/4-C/P	204
AQB-WMRO-C/P	279	BAS-2000-C/P	332	CEL-149-3/4-C/P	230
AQB-WMSQ-C/P	279	BAS-2001-C/P	333	CEL-163-C/P	157
ASC-100/CC-C/P	90	BAS-2002-C/P	333	CEL-163-C/P	204
ASC-100/SB-C/P	90	BAS-2003-C/P	334	CEL-RETROFIT/DIV	343
ASC-110-C/P	90	BAS-2004-C/P	334	CER-HANDSET/MF-DB-CP	259
ASC-123-C/P	91	BAS-2012-C/P	332	CER-HANDSET/MF-DB-CP	268
ASC-130+K-C/P	91	BAS-2013-C/P	333	CER-HEAD/SA-C/P	259
ASC-137-C/P	91	BAS-2014-C/P	332	CER-HEAD/SA-C/P	276
ASC-145A-C/P	239	BAS-2015L-C/P	332	CER-HEAD-C/P	259
ASC-147A-C/P	239	BAS-2015M-C/P	332	CER-HEAD-C/P	280
ASC-150/US-C/P	164	BAS-2016L-C/P	333	CER-MFSRK-DB-C/P	259
ASC-150-C/P	90	BAS-2016M-C/P	333	CER-MFSRK-DB-C/P	264
ASC-150-C/P	164	C-102-STD	336	CHE-100-C/P	106
AST-100/CD-C/P	124	C-201-LTC	337	CHE-110-C/P	106
AST-106/CD-C/P	124	C-201-RTC	337	CHE-123-C/P	106
AST-130/CD+K-C/P	125	C-202-RTC	338	CHE-145A-C/P	240
AST-130+KIT-C/P	125	C-205-LTC	338	CHE-147A-C/P	240
AST-136/CD-C/P	125	C-205-RTC	338	CHE-149-C/P	106
AST-137/CD-C/P	125	C-206-LTC	336	CHE-150/US-C/P	107
AST-137-C/P	125	C-206-RTC	337	CHE-150/US-C/P	166
AST-150/CD-C/P	125	C-301-RTC	338	CHE-150-C/P	107
AST-150/CD-C/P	168	C-303-LTC	336	CHE-150-C/P	166
AST-153/CD-C/P	126	C-303-RTC	336	CHE-152/US-C/P	107
AST-153/CD-C/P	168	CAR-K28A	341	CHE-152/US-C/P	166
AST-156/CD-C/P	126	CAR-K35A	339	CHE-152-C/P	107
AST-156/CD-C/P	168	CAR-K35B	340	CHE-152-C/P	166
AST-206/CD-C/P	124	CAR-K40A	339	CHE-154-C/P	107

product code	page	product code	page	product code	page
CHE-154-C/P	166	ELE-186-C/P	324	GEO-201-C/P	49
CON-BV028D/2-BR	228	ELE-188-BRUSH	325	GEO-FLOORPOUT-C/P	50
CON-BV048D/2-BR	224	ELE-188-C/P	325	HUB-001A-WAX	342
CON-BV048D/3-BR	222	ELE-CMA/12IN-C/P	281	HUB-002B-3/4	338
CON-BV048D-BR	226	ELE-CMA/4IN-C/P	281	IND-RO/30-BN	280
CUC-1004/US-C/P	163	ELE-CMA/6IN-C/P	281	IND-RO/30-BRG	280
CUC-1004-C/P	163	ELE-DIVERTER/D-C/P	44	IND-RO/30-BRN	280
CUC-1006-C/P	164	ELE-DIVERTER/D-C/P	76	IND-RO/30-PG	280
CUC-1007-C/P	164	ELE-DIVERTER/D-C/P	96	IND-SQ/30-BN	280
CUC-1008-S/S	161	ELE-DIVERTER/D-C/P	244	IND-SQ/30-BRG	280
CUC-1009-S/S	161	ELE-OUTLETBRACK2-C/P	285	IND-SQ/30-BRN	280
CUC-1010-S/S	160	ELE-OUTLET-C/P	285	IND-SQ/30-PG	280
CUC-1011-S/S	161	ELE-PUW/V-C/P	154	INF-180-C/P	308
CUC-1050-C/P	165	ELE-SOAPDISH-GLS	324	INF-181-C/P	309
CUC-1060/US-C/P	165	ELE-SR/900-C/P	283	INF-182A-C/P	308
CUC-1060-C/P	165	ELE-TUMBLER-GLS	324	INF-182-C/P	308
CUC-1061/US-C/P	162	ELW-100/CC-C/P	94	INF-183-C/P	308
CUC-1061-C/P	162	ELW-100/SB-C/P	94	INF-184-45-C/P	309
CUC-1062-S/S	160	ELW-100-C/P	94	INF-186-C/P	309
CUC-1063-S/S	160	ELW-101-C/P	94	INF-188-C/P	298
CUC-3001/US-C/P	162	ELW-109L-C/P	95	INF-188-C/P	309
CUC-3001-C/P	162	ELW-126L-3/4-C/P	95	INS-OUTLET-C/P	285
CUC-3002-C/P	163	ELW-130+K-C/P	96	INS-SFMK-C/P	271
CUC-3003-C/P	162	ELW-135/NS-3/4-C/P	95	INS-SFMKWO-C/P	272
DGS-149-1/2-C/P	230	ELW-135-3/4-C/P	95	INS-SFSRK-C/P	266
DUA-ECCENTRICS-3/4-C	346	ELW-137-C/P	96	ION-100/CC-C/P	86
DUA-PUW/ASS-C/P	345	ELW-142/PR-3/4-C/P	96	ION-100/SB-C/P	86
DUA-PUW/LINK-2	346	ELW-142/PR-3/4-C/P	245	ION-100M/CAR	340
DUA-PUW/PEG/5.3MM	346	ERI-HANDSET/MF-DB-CP	268	ION-100M/CC-C/P	86
ECL-186-C/P	308	ERI-HANDSET/SF-DB-CP	269	ION-100M/CC-C/P	149
EDI-100/CC-C/P	28	ERI-MFSRK-DB-C/P	264	ION-100M/SB-C/P	86
EDI-100/SB-C/P	28	ERI-SFMK-C/P	271	ION-100M/SB-C/P	149
EDI-100E/SB-C/P	28	ERI-SFSRK-DB-C/P	267	ION-106-C/P	86
EDI-109S/A-C/P	28	EVO-HANDSET/MF-DB-CP	268	ION-110-C/P	87
EDI-145A-C/P	233	EVO-MFSRK/B-DB-C/P	264	ION-123-C/P	87
EDI-147A-C/P	233	EVO-MFSRK-DB-C/P	263	ION-130+K-C/P	87
ELA-150S-C/P	165	FR-100/5-PLA	347	ION-136-C/P	87
ELE-128D/2-C/P	210	FR-106/4-PLA	347	ION-137-C/P	87
ELE-128D/2-TRIM-C/P	228	FR-106/9-PLA	347	ION-145A-C/P	238
ELE-148D/2-C/P	210	FR-FLEXI/5-PLA	347	ION-147A-C/P	238
ELE-148D/2-TRIM-C/P	225	FR-FLEXI/8-PLA	347	ION-VALVE/CD/CL-3/4	337
ELE-148D/3-C/P	210	FR-FLEXI/9-PLA	347	ION-VALVE/CD/HT-3/4	337
ELE-148D/3-TRIM-C/P	223	FR-SHOWER/9-C/P	347	IR-100/ASC-C/P	142
ELE-148D-C/P	210	GEO-100/CC-C/P	48	IR-100/LIF-C/P	142
ELE-148D-TRIM-C/P	227	GEO-100/SB/US-C/P	48	IR-100/PRO-C/P	142
ELE-180A-C/P	324	GEO-100/SB-C/P	48	IR-100/ZOO-C/P	142
ELE-180-C/P	324	GEO-101-C/P	49	IR-100/ZOOT-C/P	142
ELE-180S-C/P	325	GEO-109/220-C/P	49	IR-109/NOT-C/P	143
ELE-181-C/P	325	GEO-109-C/P	49	IR-109/ZOO-C/P	143
ELE-182A-C/P	326	GEO-135/NS-3/4-C/P	50	IR-DSPOUT-C/P	143
ELE-182B-C/P	309	GEO-135-3/4-C/P	50	IR-WSPOUT-C/P	143
ELE-182B-C/P	321	GEO-142/PR-3/4-C/P	51	KEN-100/CD-C/P	114
ELE-182B-C/P	325	GEO-142/PR-3/4-C/P	245	KEN-101/CD-C/P	114
ELE-182-C/P	324	GEO-143-3/4-C/P	51	KEN-106/CD-C/P	114
ELE-183-C/P	324	GEO-143-3/4-C/P	246	KEN-109/CD-C/P	114
ELE-184-45-C/P	326	GEO-144/2-C/P	244	KEN-120/CD-C/P	115
ELE-184A-C/P	326	GEO-144/3-C/P	245	KEN-131/CD-C/P	115
ELE-184-C/P	326	GEO-200/CC-C/P	48	KEN-133/CD+K-C/P	115
ELE-185-C/P	325	GEO-200/SB-C/P	48	KEN-200/CD-C/P	114

product code	page	product code	page	product code	page
KEN-201/CD-C/P	114	LIF-123-C/P	66	MAT-136-C/P	103
KEN-206/CD-C/P	114	LIF-130+K-C/P	64	MAT-137-C/P	103
KEN-209/CD-C/P	114	LIF-132/NS-C/P	64	MAT-145A-C/P	240
KEN-220/CD-C/P	115	LIF-132-C/P	64	MAT-147A-C/P	240
KEN-231/CD-C/P	115	LIF-133+K-C/P	65	MAT-150/US-C/P	104
KEN-233/CD+K-C/P	115	LIF-137-C/P	64	MAT-150-C/P	104
KOR-100	132	LIF-140-C/P	65	MAT-150-C/P	165
KOR-110	132	LIF-145A-C/P	235	MET-100	138
KOR-123	132	LIF-147A-C/P	235	MET-110	138
KOR-145A	241	LIF-148D/2-C/P	200	MET-123	138
KOR-147A	241	LIF-148D/2-TRIM-C/P	224	MET-145A	242
KOR-149	132	LIF-148D/3-C/P	200	MET-147A	242
KOV-100/CC-C/P	24	LIF-148D/3-TRIM-C/P	222	MET-149	138
KOV-100/SB-C/P	24	LIF-148D-C/P	200	MET-150	138
KOV-100E/SB-C/P	24	LIF-148D-TRIM-C/P	226	MET-150	168
KOV-109S-C/P	25	LIF-150S-C/P	66	MIX-128D/2-C/P	198
KOV-123+K-C/P	25	LIF-150S-C/P	163	MIX-128D/2-TRIM-C/P	228
KOV-130+K-C/P	25	LIF-180-C/P	320	MIX-148D/2-C/P	198
KOV-137-C/P	25	LIF-181-C/P	320	MIX-148D/2-TRIM-C/P	224
KOV-145A-C/P	232	LIF-182-C/P	320	MIX-148D/3-C/P	198
KOV-147A-C/P	232	LIF-183-C/P	320	MIX-148D/3-TRIM-C/P	222
KOV-150-C/P	24	LIF-184-45-C/P	321	MIX-148D-C/P	198
KOV-150-C/P	162	LIF-184-C/P	321	MIX-148D-TRIM-C/P	226
KOV-180-C/P	292	LIF-185-C/P	321	MIX-CMA/150-C/P	282
KOV-181-C/P	292	LIF-186-C/P	320	MIX-CMA/300-C/P	282
KOV-182-C/P	292	LIF-188/H+B-C/P	321	MIX-DECKKIT-C/P	270
KOV-183-C/P	292	LIF-188-C/P	321	MIX-HANDSET2-DB-C/P	269
KOV-184-45-C/P	293	LIF-OUTLET-C/P	285	MIX-SFMKWO-C/P	273
KOV-184A-C/P	293	LIF-SFMKWO-C/P	272	MIX-WEO-C/P	285
KOV-184-C/P	293	MAG-100/CC-C/P	98	NEB-HANDSET-RO-DB-CP	268
KOV-186-C/P	292	MAG-100/SB-C/P	98	NEB-HANDSET-SQ-DB-CP	268
KOV-188-C/P	293	MAG-100-C/P	98	NEB-MFSRK/RO/B-DB-CP	262
LEV-180-C/P	312	MAG-100M/CC-C/P	98	NEB-MFSRK/RO-DB-C/P	262
LEV-180S-C/P	312	MAG-100M/CC-C/P	149	NEB-MFSRK/SQ/B-DB-CP	263
LEV-181-C/P	313	MAG-100M/SB-C/P	99	NEB-MFSRK/SQ-DB-C/P	262
LEV-182B-C/P	313	MAG-100M/SB-C/P	149	NOT-0024C-PLA	344
LEV-182B-C/P	316	MAG-106-C/P	99	NOT-100E/SB-C/P	36
LEV-182-C/P	312	MAG-123-C/P	100	NOT-101-C/P	37
LEV-183-C/P	312	MAG-130+K-C/P	100	NOT-109S/A-220-C/P	37
LEV-184-45-C/P	314	MAG-136-C/P	99	NOT-109S/A-C/P	37
LEV-184A-C/P	314	MAG-137-C/P	99	NOT-110-C/P	37
LEV-184-C/P	314	MAG-145A-C/P	239	NOT-128D/2-C/P	194
LEV-185B-C/P	313	MAG-147A-C/P	239	NOT-128D/2-TRIM-C/P	224
LEV-185-C/P	313	MAG-149-C/P	100	NOT-128D/2-TRIM-C/P	228
LEV-186-C/P	313	MAG-150/US-C/P	100	NOT-132/NS-C/P	38
LEV-188-C/P	314	MAG-150/US-C/P	165	NOT-132-C/P	38
LEV-SOAPDISH-GLS	312	MAG-150-C/P	100	NOT-133+K-C/P	38
LEV-TUMBLER-GLS	312	MAG-150-C/P	165	NOT-140-C/P	38
LIF-100/CC-C/P	62	MAT-100/CC/US-C/P	102	NOT-140-C/P	60
LIF-100/SB-C/P	62	MAT-100/CC-C/P	102	NOT-145A-C/P	234
LIF-100M/CC-C/P	62	MAT-100/SB/US-C/P	102	NOT-147A-C/P	234
LIF-100M/CC-C/P	146	MAT-100/SB-C/P	102	NOT-148/2/3/FLOW-EXT	345
LIF-100M/SB-C/P	62	MAT-100/US-C/P	102	NOT-148/FLOW-EXT	345
LIF-100M/SB-C/P	146	MAT-100-C/P	102	NOT-148C/TEMP-EXT	345
LIF-109S/A-200-C/P	63	MAT-106-C/P	102	NOT-148D/2-C/P	194
LIF-109S/A-C/P	63	MAT-110/US-C/P	103	NOT-148D/3-C/P	194
LIF-110/SB-C/P	63	MAT-110-C/P	103	NOT-148D/3-TRIM-C/P	222
LIF-110-C/P	63	MAT-123-C/P	104	NOT-148D-C/P	194
LIF-123+K-C/P	66	MAT-130+K-C/P	104	NOT-148D-TRIM-C/P	226


product code	page	product code	page	product code	page
NOT-150S-C/P	39	ORI-148D/2-C/P	196	PHA-200M/SB-C/P	78
NOT-150S-C/P	164	ORI-148D/2-TRIM-C/P	224	PHA-200M/SB-C/P	148
NOT-200/CC-C/P	36	ORI-148D-C/P	196	PHA-210-C/P	78
NOT-200/SB-C/P	36	ORI-148D-TRIM-C/P	226	PHO-100/CC-C/P	82
NOT-201-C/P	37	ORI-150S/US-C/P	163	PHO-100/SB-C/P	82
NOT-CAPSULE-C/P	270	ORI-150S-C/P	44	PHO-100M/CAR	340
NOT-DECKKIT-C/P	270	ORI-150S-C/P	163	PHO-100M/CC-C/P	82
NUA-2/LEVER-BLK	42	ORI-1-BARDIGLIO	42	PHO-100M/CC-C/P	148
NUA-2/LEVER-BLK	196	ORI-1-BARDIGLIO	163	PHO-100M/SB/US-C/P	82
NUA-2/LEVER-BLK	234	ORI-1-BOTTICINO	42	PHO-100M/SB/US-C/P	148
NUA-2/LEVER-RED	42	ORI-1-BOTTICINO	163	PHO-100M/SB-C/P	82
NUA-2/LEVER-RED	196	ORI-1-CARRARA	42	PHO-100M/SB-C/P	148
NUA-2/LEVER-RED	234	ORI-1-CARRARA	163	PHO-109S/A-C/P	82
NUA-2/LEVER-WHT	42	ORI-1-PORTORO	42	PHO-110-C/P	83
NUA-2/LEVER-WHT	196	ORI-1-PORTORO	163	PHO-123-C/P	83
NUA-2/LEVER-WHT	234	ORI-200/CC-C/P	42	PHO-130+K-C/P	83
NUR-100	136	ORI-200/SB-C/P	42	PHO-137-C/P	83
NUR-110	136	PEX-221-C/P	152	PHO-145A-C/P	238
NUR-123	136	PEX-230-C/P	152	PHO-147A-C/P	238
NUR-145A	242	PEX-392-S-C/P	154	PHO-148D/2-C/P	208
NUR-147A	242	PEX-460/UK-1.1/4-C/P	153	PHO-148D/2-TRIM-C/P	225
NUR-149	136	PEX-461/SQ-1.1/4-C/P	153	PHO-148D/3-C/P	208
NUR-149/RRK	173	PEX-461/UK-1.1/4-C/P	153	PHO-148D/3-TRIM-C/P	223
OM-D0300-C/P	346	PEX-KITA-C/P	154	PHO-148D-C/P	208
OMI-100/CC-C/P	20	PEX-KITB-STOW-C/P	155	PHO-148D-TRIM-C/P	227
OMI-100/SB-C/P	20	PEX-SHATTA/ENG-B/C	153	PHO-180A-C/P	304
OMI-100E/SB-C/P	20	PEX-SHATTA/ENG-C/P	153	PHO-180-C/P	304
OMI-100M/CC-C/P	20	PEX-SHATTA/ENG-W/C	153	PHO-180S-C/P	304
OMI-100M/SB-C/P	20	PHA-100M/CAR	340	PHO-181-C/P	304
OMI-109-C/P	20	PHA-109S/A-C/P	78	PHO-182A-C/P	305
OMI-133-C/P	21	PHA-123+K-C/P	79	PHO-182-C/P	305
OMI-135/NS-C/P	21	PHA-123-C/P	79	PHO-183-C/P	305
OMI-145A-C/P	232	PHA-130+K-C/P	79	PHO-184-45-C/P	305
OMI-147A-C/P	232	PHA-137-C/P	79	PHO-184-C/P	306
OMI-180-C/P	288	PHA-145A-C/P	237	PHO-185-C/P	306
OMI-181-C/P	289	PHA-147A-C/P	237	PHO-186-C/P	306
OMI-184-45-C/P	289	PHA-148D/2-C/P	206	PHO-188-C/P	306
OMI-184-60-C/P	289	PHA-148D/2-TRIM-C/P	225	PRO-100P-C/P	140
OMI-185-10-C/P	288	PHA-148D/3-C/P	206	PRO-167/C+H-C/P	140
OMI-185-20-C/P	288	PHA-148D/3-TRIM-C/P	223	PRO-300-C/P	140
OMI-185-50-C/P	288	PHA-148D-C/P	206	PRO-5001/C-22MM	140
OMI-HEAD-C/P	252	PHA-148D-TRIM-C/P	227	PRO-5001/C-22MM	143
OMI-HEAD-C/P	277	PHA-149/RRK-C/P	170	PRO-5001/C-22MM	157
OMI-SFMKW0-C/P	252	PHA-180A-C/P	300	PRO-5001-N/P	140
OMI-SFMKW0-C/P	272	PHA-180-C/P	300	PRO-5001-N/P	143
OMI-SFSRK-C/P	252	PHA-181-C/P	300	PRO-5001-N/P	157
OMI-SFSRK-C/P	265	PHA-182-C/P	300	SEN-100/CC-C/P	68
OMI-WMHEAD-C/P	252	PHA-183-C/P	300	SEN-100/SB/US-C/P	68
OMI-WMHEAD-C/P	279	PHA-184-45-C/P	301	SEN-100/SB-C/P	68
ORI-100/CC-C/P	42	PHA-184-C/P	301	SEN-100-C/P	68
ORI-100/SB-C/P	42	PHA-185-C/P	301	SEN-100E/SB/US-C/P	68
ORI-100E/SB-C/P	43	PHA-186-C/P	301	SEN-100E/SB-C/P	68
ORI-109S/A-C/P	43	PHA-188-C/P	301	SEN-100M/CC-C/P	68
ORI-110-C/P	43	PHA-200/CC-C/P	78	SEN-100M/CC-C/P	147
ORI-123-C/P	44	PHA-200/SB-C/P	78	SEN-100M/SB/US-C/P	69
ORI-133-C/P	45	PHA-200M/CC-C/P	78	SEN-100M/SB/US-C/P	147
ORI-140-C/P	43	PHA-200M/CC-C/P	148	SEN-100M/SB-C/P	69
ORI-145A-C/P	234	PHA-200M/SB/US-C/P	78	SEN-100M/SB-C/P	147
ORI-147A-C/P	234	PHA-200M/SB/US-C/P	148	SEN-109S/A-C/P	69

product code	page	product code	page	product code	page
SEN-130+K-C/P	69	TAB-128/2-H-ALT-C/P	188	TAB-148-OMI-TRIM	220
SEN-135/NS-C/P	70	TAB-128/2-H-ALT-TRIM	217	TE-100/CC-C/P	58
SEN-137-C/P	69	TAB-128/2-H-KOV-C/P	184	TE-100/SB/US-C/P	58
SEN-145A-C/P	236	TAB-128/2-H-KOV-TRIM	216	TE-100/SB-C/P	58
SEN-147A-C/P	236	TAB-128/2-H-NOT-C/P	192	TE-100E/SB/US-C/P	58
SH-012-120-DB-C/P	284	TAB-128/2-H-NOT-TRIM	217	TE-100E/SB-C/P	58
SH-012-150-DB-C/P	284	TAB-128/2-H-OMI-C/P	180	TE-100M/CC-C/P	58
SH-012-200-DB-C/P	284	TAB-128/2-H-OMI-TRIM	216	TE-100M/CC-C/P	146
SH-013-150-DB-CP-LB	284	TAB-128/2-KOV-C/P	184	TE-100M/SB/US-C/P	59
SH-711-BRACKET-C/P	286	TAB-128/2-KOV-TRIM	216	TE-100M/SB/US-C/P	146
SHA-180-C/P	316	TAB-128/2-NOT-C/P	192	TE-100M/SB-C/P	59
SHA-182-C/P	316	TAB-128/2-NOT-TRIM	217	TE-100M/SB-C/P	146
SHA-183-C/P	316	TAB-128/2-OMI-C/P	180	TE-110-C/P	59
SHA-184-45-C/P	317	TAB-128/2-OMI-TRIM	216	TE-123-C/P	60
SHA-184B-C/P	316	TAB-128/3-ALT-C/P	188	TE-130+K-C/P	54
SHA-184-C/P	317	TAB-128/3-ALT-TRIM	215	TE-130+K-C/P	59
SHA-186-C/P	289	TAB-128/3-H-ALT-C/P	188	TE-137-C/P	54
SHA-186-C/P	317	TAB-128/3-H-ALT-TRIM	215	TE-137-C/P	59
SHA-188-C/P	317	TAB-128/3-H-KOV-C/P	184	TE-145A-C/P	235
SHA-SOAPDISH-GLS	316	TAB-128/3-H-KOV-TRIM	214	TE-147A-C/P	235
SHA-TUMBLER-GLS	316	TAB-128/3-H-NOT-C/P	192	TE-149T-C/P	55
SPA-1801-30-C/P	297	TAB-128/3-H-NOT-TRIM	215	TE-149T-C/P	60
SPA-1801-45-C/P	297	TAB-128/3-H-OMI-C/P	180	TE-149T-C/P	79
SPA-1802-C/P	297	TAB-128/3-H-OMI-TRIM	214	TE-149T-C/P	206
SPA-180A-C/P	296	TAB-128/3-KOV-C/P	184	TE-149T-C/P	230
SPA-180-C/P	296	TAB-128/3-KOV-TRIM	214	TEF-100/CC-C/P	54
SPA-182-C/P	296	TAB-128/3-NOT-C/P	192	TEF-100/SB-C/P	54
SPA-183-C/P	296	TAB-128/3-NOT-TRIM	215	TEF-109S/A-C/P	54
SPA-184-45-C/P	297	TAB-128/3-OMI-C/P	180	TOU-082A-CER	328
SPA-184-C/P	298	TAB-128/3-OMI-TRIM	214	TOU-083A-CER	328
SPA-185B-C/P	298	TAB-148/2-ALT-C/P	189	TOU-180A-C/P	328
SPA-186-C/P	296	TAB-148/2-ALT-TRIM	219	TOU-181-C/P	328
SQU-180A-C/P	312	TAB-148/2-H-ALT-C/P	189	TOU-182A-C/P	328
SQU-188-BRUSH	314	TAB-148/2-H-ALT-TRIM	219	TOU-183A-C/P	328
SQU-188-BRUSH	317	TAB-148/2-H-KOV-C/P	185	TOU-184-C/P	329
ST-212K-CAR	341	TAB-148/2-H-KOV-TRIM	218	TOU-185A-C/P	329
STRA-149/RRK-W/C	170	TAB-148/2-H-NOT-C/P	193	TOU-186-C/P	329
SYN-100/CC-C/P	30	TAB-148/2-H-NOT-TRIM	219	TOU-188-BRUSH	329
SYN-100/SB-C/P	30	TAB-148/2-H-OMI-C/P	181	TOU-188-C/P	329
SYN-100E/SB-C/P	30	TAB-148/2-H-OMI-TRIM	218	V-001A-PLA	342
SYN-109S/A-C/P	30	TAB-148/2-KOV-C/P	185	V-001C-PLA	342
SYN-132/NS-C/P	31	TAB-148/2-KOV-TRIM	218	V-001D-PLA	343
SYN-132-C/P	31	TAB-148/2-NOT-C/P	193	V-140/RO	156
SYN-133+K-C/P	32	TAB-148/2-NOT-TRIM	219	V-140/RO/DIV	156
SYN-140/D-C/P	32	TAB-148/2-OMI-C/P	181	V-140/SQ	156
SYN-140/D-C/P	39	TAB-148/2-OMI-TRIM	218	V-140/SQ/DIV	156
SYN-140/D-C/P	51	TAB-148-ALT-C/P	189	VAL-100	134
SYN-140/W-C/P	32	TAB-148-ALT-TRIM	221	VAL-110	134
SYN-140/W-C/P	39	TAB-148-H-ALT-C/P	189	VAL-123	134
SYN-140/W-C/P	51	TAB-148-H-ALT-TRIM	221	VAL-145A	241
SYN-140/W-C/P	55	TAB-148-H-KOV-C/P	185	VAL-147A	241
SYN-145A-C/P	233	TAB-148-H-KOV-TRIM	220	VAL-149	134
SYN-147A-C/P	233	TAB-148-H-NOT-C/P	193	VEC-100/CD-C/P	122
TAB-028/2-CONC	216	TAB-148-H-NOT-TRIM	221	VEC-106/CD-C/P	122
TAB-028/3-CONC	214	TAB-148-KOV-C/P	185	VEC-130/CD+K-C/P	122
TAB-048/2-CONC	218	TAB-148-KOV-TRIM	220	VEC-130+K-C/P	122
TAB-048-CONC	220	TAB-148-NOT-C/P	193	VEC-136/CD-C/P	122
TAB-128/2-ALT-C/P	188	TAB-148-NOT-TRIM	221	VEC-137/CD-C/P	122
TAB-128/2-ALT-TRIM	217	TAB-148-OMI-C/P	181		

product code	page	product code	page	product code	page
VEL-002A-C/P	341	WEN-190-C/P	119	XSH-SHATTAF/163-C/P	152
VEL-002B-C/P	341	WG-049BRACK+SHR-C/P	157	XSH-SHATTAF/163-C/P	283
VEL-149/RRKRO/AQB-CP	171	WG-130ELBOW-C/P	286	Z00-100/CC-C/P	72
VEL-149/RRKRO/ATM-CP	172	WG-16102A-C/P	275	Z00-100/SB/US-C/P	72
VEL-149/RRKRO/ATM-CP	256	WG-16202A-C/P	250	Z00-100/SB-C/P	72
VEL-149/RRKSQ/AQB-CP	171	WG-16203V2-C/P	267	Z00-100-C/P	72
VEL-149/RRKSQ/DIV-CP	172	WG-16204A-C/P	250	Z00-100E/SB/US-C/P	72
VEL-149RKDV/ST/MF-CP	172	WG-218-C/P	285	Z00-100E/SB-C/P	72
VEL-149RKDV/ST/MF-CP	256	WG-26203V2-C/P	267	Z00-100M/CC-C/P	72
VEL-149RRK/DIV/ST-CP	173	WG-26204A-C/P	250	Z00-100M/CC-C/P	147
VER-149/RO/RRK-C/P	173	WG-395-C/P	154	Z00-100M/SB-C/P	73
VIC-100/CD/US-C/P	110	WG-395-CAP/RO-WHT	154	Z00-100M/SB-C/P	147
VIC-100/CD-C/P	110	WG-395-CAP/SQ-C/P	154	Z00-106-C/P	73
VIC-101/CD-C/P	110	WG-71389-C/P	155	Z00-109-C/P	73
VIC-106/CD/CL-C/P	110	WG-71552-C/P	155	Z00-109S/A-C/P	73
VIC-106/CD-C/P	110	WG-81389/SQ-C/P	21	Z00-110-C/P	73
VIC-109/CD-C/P	110	WG-81389/SQ-C/P	31	Z00-123-C/P	76
VIC-110/CD-C/P	111	WG-81389/SQ-C/P	39	Z00-130+K-C/P	74
VIC-120/CD-C/P	111	WG-81389/SQ-C/P	50	Z00-132/NS-C/P	45
VIC-121/R/CD-C/P	112	WG-81389/SQ-C/P	55	Z00-132/NS-C/P	75
VIC-131/S/CD-C/P	111	WG-81389/SQ-C/P	60	Z00-132-C/P	45
VIC-133/CD+K-C/P	112	WG-81389/SQ-C/P	155	Z00-132-C/P	75
VIC-136/CD-C/P	111	WG-81389-C/P	28	Z00-135/NS-3/4-C/P	75
VIC-154G/CD-C/P	112	WG-81389-C/P	155	Z00-135-3/4-C/P	75
VIC-154G/CD-C/P	166	WG-81552-C/P	44	Z00-137-C/P	74
VIC-160/CD-C/P	152	WG-81552-C/P	65	Z00-140-C/P	70
WAR-200/CD-C/P	128	WG-81552-C/P	70	Z00-140-C/P	76
WAR-206/CD-C/P	128	WG-81552-C/P	76	Z00-142/PR-3/4-C/P	76
WAR-206/CL/CD-C/P	128	WG-81552-C/P	96	Z00-142/PR-3/4-C/P	245
WAR-207/CD-C/P	129	WG-81552-C/P	155	Z00-143-3/4-C/P	204
WAR-207/CD-C/P	166	WG-BODYTILE/SQ-C/P	282	Z00-143-3/4-C/P	246
WAR-221/CD-C/P	128	WG-EFSA/RO-C/P	281	Z00-144/2-C/P	204
WAR-231/CD-C/P	128	WG-EFSA/SQ-C/P	252	Z00-144/2-C/P	244
WAR-243/CD-1/2-C/P	246	WG-EFSA/SQ-C/P	281	Z00-144/3-C/P	244
WAR-250/CD-C/P	129	WG-ELBOW/45-C/P	286	Z00-145A/RO-C/P	236
WAR-250/CD-C/P	167	WG-MERCURYKIT-C/P	249	Z00-145A/SQ-C/P	237
WAR-251/CD-C/P	129	WG-MFKIT2-C/P	274	Z00-147A/RO-C/P	236
WAR-251/CD-C/P	167	WG-RETURNELBOW-1/2M	286	Z00-147A/SQ-C/P	237
WAR-253/CD-C/P	129	WG-RRK/DIV/SQ-148-CP	248	Z00-BRACKET-C/P	286
WAR-253/CD-C/P	167	WG-RRK/DIV-148-C/P	249	Z00-CAPSULE-C/P	270
WAR-254G/CD-C/P	129	WG-SATURN2/SA-C/P	274	Z00-DECKKIT-C/P	270
WAR-254G/CD-C/P	167	WG-SATURN2/SQ-C/P	277	Z00-HANDSET-DB-C/P	269
WAR-256/CD-C/P	130	WG-SATURN2-C/P	277	Z00-HOSE/AT-DB-SIL	284
WAR-256/CD-C/P	167	WG-SFKIT2-C/P	274	Z00-SFMK-C/P	271
WAR-256C/CD-C/P	130	WG-SPACE/RK-DB-C/P	284	Z00-SFMKWO-C/P	273
WAR-256C/CD-C/P	168	WG-STUDFAST-C-S/S	157		
WAR-256CD/CL-C/P	130	WG-STUDFAST-C-S/S	175		
WAR-256CD/CL-C/P	167	WG-V2HANDSET-DB-C/P	269		
WAR-260/CD-C/P	152	WG-V2KIT-C/P	266		
WAR-262/CD-10-C/P	130	WG-VENUSKIT-C/P	266		
WAR-262/CD-15-C/P	130	WSB-148-3/4-C/P	212		
WEN-100-C/P	118	WSB-149-3/4-C/P	212		
WEN-101-C/P	118	WSB-149-3/4-C/P	230		
WEN-106L-C/P	118	WSB-248-3/4-C/P	212		
WEN-110-C/P	118	WSB-249-3/4-C/P	212		
WEN-131-C/P	119	WSB-249-3/4-C/P	230		
WEN-133+K-C/P	119	XAV-RIGID-C/P	250		
WEN-136-C/P	118	XSH-LUXSHATTAF/SB-CP	153		
WEN-137-C/P	118	XSH-LUXSHATTAF/SB-CP	283		



NEW




mono basin mixer
deck mounted
smooth bodied
with universal basin waste
water flow aerator
1/4 turn ceramic disc valves
2 x FL-401-RTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-100/CC-C/P

Stocked In
UK

ETB 4 l/m flow regulator fitted as standard

NEW




mono basin mixer
deck mounted
smooth bodied
without universal basin waste
water flow aerator
1/4 turn ceramic disc valves
2 x FL-401-RTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-100/SB-C/P

Stocked In
UK

ETB 4 l/m flow regulator fitted as standard

NEW




mini mono basin mixer
deck mounted
smooth bodied
with universal basin waste
water flow aerator
1/4 turn ceramic disc valves
2 x FL-401-RTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-100M/CC-C/P

Stocked In
UK

ETB 4 l/m flow regulator fitted as standard

NEW




mini mono basin mixer
deck mounted
smooth bodied
without universal basin waste
water flow aerator
1/4 turn ceramic disc valves
2 x FL-401-RTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-100M/SB-C/P

Stocked In
UK

ETB 4 l/m flow regulator fitted as standard

NEW




extended mono basin mixer
deck mounted
smooth bodied
without universal basin waste
water flow aerator
1/4 turn ceramic disc valves
2 x FL-401-RTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-100E/SB-C/P

Stocked In
UK

ETB 4 l/m flow regulator fitted as standard

NEW




basin mixer
wall mounted
water flow aerator
1/4 turn ceramic disc valves
2 x FL-201-RTC
2 x 1/2" female inlets
min-max wall mount 60-80mm
minimum operating pressure 1.0 bar MP

chrome
OMI-109-C/P

Stocked In
UK

ETB 4 l/m flow regulator fitted as standard

NEW




bath shower mixer
with shower kit
floor mounted
1/4 turn ceramic mix cartridge FL-601-33Q
ceramic diverter cartridge FL-803-33/2X
2 x 1/2" female inlets
clearance 850mm from floor to spout
minimum operating pressure 1.0 bar MP

chrome
OMI-133-C/P

Stocked In
UK

FR-FLEXI/8-PLA

NEW




4 hole bath shower mixer
deck mounted
with shower kit without spout
for use with bath fill waste and overflow
1/4 turn ceramic disc valves FL-301-RTC
FL-301-LTC
1 x 1/2" x 3/8" x 200cm showerhose
2 x 3/4" x 3/4" x 600mm flexipipe connections
ceramic diverter cartridge FL-803-33/2X
1mm - 40mm min-max bath thickness
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
OMI-135/NS-C/P

Stocked In
UK

FR-FLEXI/8-PLA

NEW



push type bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-21mm
minimum operating pressure 1.0 bar MP

chrome
WG-81389/SQ-C/P


Stocked In
UK / Dubai

PLEASE SEE PAGE **232** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **179** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **287** FOR
OMIKA COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C-006-N25
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
KOV-100/CC-C/P

Stocked In
UK

Eco 6 l/m flow regulator fitted as standard




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-006-N25
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
KOV-100/SB-C/P

Stocked In
UK

Eco 6 l/m flow regulator fitted as standard




extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-006-N25
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
KOV-100E/SB-C/P

Stocked In
UK

Eco 6 l/m flow regulator fitted as standard





mono sink mixer
single lever
deck mounted
with swivel spout
ceramic cartridge C-006-N25
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
KOV-150-C/P

Stocked In
UK

Eco 8 l/m flow regulator fitted as standard






basin mixer
single lever
wall mounted
with rectangular back plate
ceramic cartridge C-006-N25
2 x 1/2" inlets
min-max wall mount 58-83mm
minimum operating pressure 0.2 bar LP

chrome
KOV-109S-C/P

Stocked In
UK

Eco 6 l/m flow regulator fitted as standard




exposed bath shower mixer
wall mounted
with shower kit
ceramic cartridge CAR-KN35
diverter cartridge C-801-27/2X
1/2" x 3/4" x 45mm eccentrics
minimum operating pressure 2.0 bar HP

chrome
KOV-123+K-C/P

Stocked In
UK

Eco FR-SHOWER/9-C/P




2 hole bath shower mixer
deck mounted
with shower kit
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP

chrome
KOV-130+K-C/P

Stocked In
UK

Eco FR-SHOWER/9-C/P



2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP

chrome
KOV-137-C/P


Stocked In
UK

PLEASE SEE PAGE **232** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **183** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **291** FOR
KOVERA COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
ceramic cartridge C010-N25
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
EDI-100/CC-C/P
Stocked In
UK


Eto 5 l/m flow regulator fitted as standard



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C010-N25
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
EDI-100/SB-C/P
Stocked In
UK


Eto 5 l/m flow regulator fitted as standard



extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
ceramic cartridge C-010-N25
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
EDI-100E/SB-C/P
Stocked In
UK


Eto 5 l/m flow regulator fitted as standard



basin mixer
single lever
wall mounted
with rectangular back plate
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 52-72mm
minimum operating pressure 1.0 bar MP

chrome
EDI-109S/A-C/P
Stocked In
UK

Eto 5 l/m flow regulator fitted as standard



push type bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-21mm
minimum operating pressure 1.0 bar MP


chrome
WG-81389-C/P
Stocked In
UK / Dubai

PLEASE SEE PAGE **187** FOR
THERMOSTATIC SHOWERS


PLEASE SEE PAGE **233** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **307** FOR
INFINITY COORDINATING ACCESSORIES







ECB 5 l/m flow regulator fitted as standard




ECO 5 l/m flow regulator fitted as standard



ECO^{H₂} 12 l/m flow regulator fitted as standard



Eco 4 l/m flow regulator fitted as standard




4 hole bath shower mixer
with waterfall spout
single lever
deck mounted
with shower kit
ceramic cartridge SYN-CARTRIDGE/B
diverter cartridge CAR-KD235A
minimum operating pressure 3.0 bar HP

chrome
SYN-132-C/P

Stocked In
UK

FR-FLEXI/8-PLA




3 hole bath shower mixer
single lever
deck mounted
without spout
with shower kit
for use with bath filler waste and overflow
ceramic cartridge SYN-CARTRIDGE/B
diverter cartridge CAR-KD235A
minimum operating pressure 3.0 bar HP

chrome
SYN-132/NS-C/P

Stocked In
UK

FR-FLEXI/8-PLA


NEW



push type bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-21mm
minimum operating pressure 1.0 bar MP

chrome
WG-81389/SQ-C/P



Stocked In
UK / Dubai



waterfall bath spout
wall mounted
1/2" x 44mm threaded connection
brass inlet tube SYN-140-CONNECTOR
minimum operating pressure 1.0 bar MP

chrome
SYN-140/W-C/P



Stocked In
UK



waterfall bath spout
deck mounted
minimum operating pressure 1.5 bar MP

chrome
SYN-140/D-C/P

Stocked In
UK



bath shower mixer
with shower kit
with waterfall spout
single lever
floor mounted
ceramic cartridge SYN-CARTRIDGE/D
minimum operating pressure 1.5 bar MP

chrome
SYN-133+K-C/P

Stocked In
UK


ETB FR-FLEXI/8-PLA

PLEASE SEE PAGE **191** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **233** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **315** FOR
SHAMA COORDINATING ACCESSORIES






progressive mono basin mixer
deck mounted
with directional aerator
smooth bodied
with universal basin waste
progressive cartridge FL-901-29H
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ALT-100/CC-C/P

Stocked In
UK

FR-100/5-B-PLA




progressive mono basin mixer
deck mounted
with directional aerator
smooth bodied
without universal basin waste
progressive cartridge FL-901-29H
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ALT-100/SB-C/P

Stocked In
UK

FR-100/5-B-PLA



3 hole basin mixer
wall mounted
without backplate
with directional aerator
2 x 1/2" inlet
cold ceramic cartridge FL-501-RTC
hot ceramic cartridge FL-501-LTC
min-max wall mount 59-79mm
minimum operating pressure 0.2 bar LP

chrome
ALT-109-2-C/P

Stocked In
UK

FR-100/5-B-PLA

PLEASE SEE PAGE 187 FOR


ALTITUDE COORDINATING SHOWERS

PLEASE SEE PAGE 307 FOR

INFINITY COORDINATING ACCESSORIES



NEW




slimline mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
NOT-200/CC-C/P

Stocked In
UK

ETB 5 l/m flow regulator fitted as standard

NEW




slimline mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
NOT-200/SB-C/P

Stocked In
UK / Dubai

ETB 5 l/m flow regulator fitted as standard





extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K28A
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
NOT-100E/SB-C/P

Stocked In
UK / Dubai

ETB FR-100/5-PLA





2 hole basin mixer
single lever
wall mounted
with rectangular backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
NOT-109S/A-C/P

Stocked In
UK / Dubai

FR-100/5-PLA





2 hole basin mixer with 220mm spout
single lever
wall mounted
with rectangular backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
NOT-109S/A-220-C/P

Stocked In
UK

FR-100/5-PLA





3 hole basin mixer
with fixed spout
deck mounted
with optional pop-up waste
2 x 1/2" female x 1/2" female x 600mm
flexipipe connections
valve deck mount drill hole diameter 34mm
spout deck mount drill hole diameter 20mm
cold ceramic cartridge C-501-RTC
hot ceramic cartridge C-501-LTC
minimum operating pressure 1.0 bar MP

chrome
NOT-101-C/P

Stocked In
UK / Dubai

FR-100/5-PLA

NEW




3 hole basin mixer with square handles
with fixed spout
deck mounted
with optional pop-up waste
2 x 1/2" female x 1/2" female x 600mm
flexipipe connections
valve deck mount drill hole diameter 34mm
spout deck mount drill hole diameter 20mm
cold ceramic cartridge C-501-RTC
hot ceramic cartridge C-501-LTC
minimum operating pressure 1.0 bar MP

chrome
NOT-201-C/P

Stocked In
UK

FR-100/5-PLA



mono bidet mixer
single lever
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K28A
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 34mm
minimum operating pressure 1.0 bar MP

chrome
NOT-110-C/P

Stocked In
UK / Dubai

FR-100/5-PLA




Stocked In
UK / Dubai




Stocked In
UK



Stocked In
UK / Dubai





Stocked In
UK / Dubai



Synergie
waterfall bath spout
wall mounted
1/2" x 44mm threaded connection
brass inlet tube SYN-140-CONNECTOR
minimum operating pressure 1.0 bar MP

chrome
SYN-140/W-C/P

Stocked In
UK




Synergie
waterfall bath spout
deck mounted
minimum operating pressure 1.5 bar MP

chrome
SYN-140/D-C/P

Stocked In
UK


NEW



push type bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-21mm
minimum operating pressure 1.0 bar MP

chrome
WG-81389/SQ-C/P

Stocked In
UK / Dubai



mono sink mixer
single lever
deck mounted
spout can swivel or be fixed
ceramic cartridge CAR-K28A
deck mount drill hole diameter 34mm
minimum operating pressure 1.0 bar MP

chrome
NOT-150S-C/P

FR-100/5-PLA

Stocked In
UK

PLEASE SEE PAGE **234** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **191** FOR
THERMOSTATIC SHOWERS


PLEASE SEE PAGE **311** FOR
LEVEL COORDINATING ACCESSORIES




Figure 1 displays eight cylindrical samples arranged in a 4x2 grid. The samples show various surface textures and colors, ranging from dark and mottled to light and smooth, representing different compositions or processing conditions of polypropylene (PP) and polypropylene/ethylene glycol dimethacrylate (PP/EGDMA) copolymer.

stone and colour handles may be purchased separately


	Stocked In
ORI-1-PORTORO	UK
ORI-1-BARDIGLIO	UK
ORI-1-BOTTICINO	UK
ORI-1-CARRARA	UK
NUA-2/LEVER-BLK	UK
NUA-2/LEVER-RED	UK
NUA-2/LEVER-WHT	UK




chrome	Stocked In
ORI-100/CC-C/P	UK
FR-100/5-PLA	




chrome Stocked In
ORI-100/SB-C/P UK / Dubai
Eto FR-100/5-PLA



chrome	Stocked In
ORI-200/CC-C/P	UK
Eto 5 l/m flow regulator fitted as standard	



chrome	Stocked In
ORI-200/SB-C/P	UK / Dubai
£50 5 l/min flow regulator fitted as standard	




extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ORI-100E/SB-C/P

Stocked In
UK / Dubai

FR-100/5-PLA




2 hole basin mixer
single lever
wall mounted
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
1 x 1/2" outlet
min-max wall mount 53-70mm for the valve
minimum operating pressure 0.2 bar LP

chrome
ORI-109S/A-C/P

Stocked In
UK / Dubai

FR-100/5-PLA




mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" nut x 350mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
ORI-110-C/P

Stocked In
UK / Dubai


FR-100/5-PLA



bath spout
wall mounted
1/2" x 12mm threaded connections
sleeve slides entire length of spout
minimum operating pressure 0.2 bar LP

chrome
ORI-140-C/P

Stocked In
UK / Dubai



mono sink mixer
single lever
deck mounted
with swivel spout
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
ORI-150S-C/P*

US hoses
ORI-150/US-C/P*

Eto FR-100/5-PLA

Stocked In
UK / Dubai


UK



pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP

chrome
WG-81552-C/P

Stocked In
UK / Dubai




exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K40B
1/2" x 3/4" x 44mm eccentrics
minimum operating pressure 1.5 bar MP

chrome
ORI-123-C/P**

Eto FR-SHOWER/9-C/P


Stocked In
Dubai



Elements
2 outlet diverter valve
deck mounted
ceramic cartridge ELE-DIVERTER/D-CART
2 x 3/4" male inlets
1 x 3/4" male outlet
1 x 3/8" male outlet
1 x 3/4" female to 3/4" male 90° elbow
deck mount drill hole diameter 46mm
minimum operating pressure 1.0 bar MP

chrome
ELE-DIVERTER/D-C/P

Stocked In
UK




Zoo
3 hole bath shower mixer
single lever
deck mounted
without spout
for use with bath filler waste and overflow
ceramic cartridge CAR-K40A
diverter cartridge ELE-DIVERTER/D-CART
2 x 3/4" x 3/4" x 600mm flexipipe connections
1 x 1/2" female x 3/8" male x 600mm hose
connection, 1 x 1/2" nut x 350mm fitted flexipipe
connection to valve
valve deck mount drill hole diameter 40mm
diverter deck mount drill hole diameter 45mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome
ZOO-132/NS-C/P

Stocked In
UK

FR-FLEXI/8-PLA




Zoo
4 hole bath shower mixer
single lever
deck mounted
spout can swivel or be fixed
with water flow aerator
ceramic cartridge CAR-K40A
diverter cartridge ELE-DIVERTER/D-CART
2 x 3/4" x 3/4" x 600mm flexipipe connections
1 x 1/2" female x 3/8" male x 600mm hose
connection, 1 x 1/2" nut x 350mm fitted flexipipe
connection to valve
valve deck mount drill hole diameter 40mm
spout deck mount drill hole diameter 28mm
diverter deck mount drill hole diameter 45mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome
ZOO-132-C/P

Stocked In
UK

FR-FLEXI/8-PLA



bath shower mixer
with shower kit
single lever
floor mounted
fixed spout
with water flow straightener
ceramic cartridge CAR-K40B
2 x 1/2" inlets
minimum operating pressure 3.0 bar HP

chrome
ORI-133-C/P

Stocked In
UK / Dubai


FR-FLEXI/8-PLA

PLEASE SEE PAGE 234 FOR
MANUAL SHOWERS

PLEASE SEE PAGE 195 FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE 295 FOR
SPA COORDINATING ACCESSORIES






mono basin mixer
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-501-RTC
hot ceramic cartridge C-501-LTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
GEO-100/CC-C/P

Stocked In
UK

Eto 5 l/m flow regulator fitted as standard



mono basin mixer
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-501-RTC
hot ceramic cartridge C-501-LTC
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
GEO-100/SB-C/P


Stocked In
UK / Dubai

US hoses
GEO-100/SB/US-C/P

UK

Eto 5 l/m flow regulator fitted as standard

NEW




slimline mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
GEO-200/CC-C/P

Stocked In
UK

Eto 5 l/m flow regulator fitted as standard

NEW




slimline mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-010-N25
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
GEO-200/SB-C/P

Stocked In
UK

Eto 5 l/m flow regulator fitted as standard




3 hole basin mixer
deck mounted
spout can swivel or be fixed
without pop-up waste
with water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-501-RTC
hot ceramic cartridge C-501-LTC
2 x 1/2" x 1/2" x 600mm flexipipe connections
1/2" male x 1/2" male x 1/2" female T piece connection
spout deck mount drill hole diameter 28mm
valve deck mount drill hole diameter 33mm
minimum operating pressure 1.0 bar MP

chrome
GEO-101-C/P

Stocked In
UK / Dubai

5 l/m flow regulator fitted as standard

NEW




3 hole basin mixer with square handles
deck mounted
spout can swivel or be fixed
without pop-up waste
with water flow aerator
1/2" ceramic disc 1/4 turn valves
cold ceramic cartridge C-501-RTC
hot ceramic cartridge C-501-LTC
2 x 1/2" x 1/2" x 600mm flexipipe connections
1/2" male x 1/2" male x 1/2" female T piece connection
spout deck mount drill hole diameter 28mm
valve deck mount drill hole diameter 33mm
minimum operating pressure 1.0 bar MP

chrome
GEO-201-C/P

Stocked In
UK

5 l/m flow regulator fitted as standard




3 hole basin mixer
wall mounted
with water flow straightener
cold ceramic cartridge GEO-109-VALVE/CD/CL
hot ceramic cartridge GEO-109-VALVE/CD/HT
2 x 1/2" male x 1/2" male x 90mm straight
connections and 1 x 1/2" x 1/2" x 1/2" x 47mm
female connection (T-piece)
min-max wall mount 59-68mm
minimum operating pressure 0.2 bar LP

chrome
GEO-109-C/P

Stocked In
UK / Dubai

FR-106/5-PLA




3 hole basin mixer with 220mm spout
wall mounted
with water flow straightener
cold ceramic cartridge GEO-109-VALVE/CD/CL
hot ceramic cartridge GEO-109-VALVE/CD/HT
2 x 1/2" male x 1/2" male x 90mm straight
connections and 1 x 1/2" x 1/2" x 1/2" x 47mm
female connection (T-piece)
min-max wall mount 59-68mm
minimum operating pressure 0.2 bar LP

chrome
GEO-109/220-C/P

Stocked In
UK

FR-106/5-PLA




5 hole bath shower mixer
deck mounted
spout can swivel or be fixed
with water flow straightener
3/4" ceramic disc 1/4 turn valves
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
1 x 1/2" x 3/8" x 200cm showerhose FxF
3 x 3/4" x 3/4" x 600mm flexipipe connections
spout deck mount drill hole diameter 28-30mm
valve deck mount drill hole diameter 37mm
diverter deck mount drill hole diameter 46mm
handset deck mount drill hole diameter 30mm
min-max bath thickness 6-38mm
minimum operating pressure 1.5 bar MP

chrome
GEO-135-3/4-C/P

Stocked In
UK / Dubai

ETB FR-FLEXI/8-PLA




4 hole bath shower mixer
deck mounted
without spout
for use with bath filler waste
3/4" ceramic disc 1/4 turn valves
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
1 x 1/2" x 3/8" x 200cm showerhose FxF
2 x 600mm x 3/4" flexihoses to inlets on valve
valve deck mount drill hole diameter 37mm
diverter deck mount drill hole diameter 46mm
handset deck mount drill hole diameter 30mm
min-max bath thickness 6-38mm
minimum operating pressure 1.5 bar MP

chrome
GEO-135/NS-3/4-C/P

Stocked In
UK

ETB FR-FLEXI/8-PLA




bath spout
floor mounted
minimum operating pressure 1.0 bar MP

chrome
GEO-FLOORSPOUT-C/P

Stocked In
UK


NEW



push type bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-21mm
minimum operating pressure 1.0 bar MP

chrome
WG-81389/SQ-C/P



Stocked In
UK / Dubai



Synergie
waterfall bath spout
wall mounted
1/2" x 44mm threaded connection
brass inlet tube SYN-140-CONNECTOR
minimum operating pressure 1.0 bar MP

chrome
SYN-140/W-C/P



Stocked In
UK



Synergie
waterfall bath spout
deck mounted
minimum operating pressure 1.5 bar MP

chrome
SYN-140/D-C/P


Stocked In
UK



pair of valves 3/4"
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 10mm thread length male inlet
3/4" x 10mm thread length male outlet
min-max wall mount 25mm
deck mount drill hole diameter 33mm
min-max bath thickness 6-25mm
minimum operating pressure 0.2 bar LP

chrome
GEO-142/PR-3/4-C/P

Stocked In
UK



concealed stop valve 3/4"
wall mounted
ceramic cartridge GEO-143-VALVE/CD-3/4
3/4" inlet
3/4" outlet
min-max wall mount 105-115mm
minimum operating pressure 0.2 bar LP


chrome
GEO-143-3/4-C/P

Stocked In
UK / Dubai

PLEASE SEE PAGE 191 FOR
NOTION COORDINATING SHOWERS

PLEASE SEE PAGE 315 FOR
SHAMA COORDINATING ACCESSORIES






mono basin mixer
with waterfall spout
single lever
smooth bodied
with universal basin waste
ceramic cartridge CAR-K28A
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
TEF-100/CC-C/P

Stocked In
UK

Eto 2.5 l/m flow regulator fitted as standard





mono basin mixer
with waterfall spout
single lever
smooth bodied
without universal basin waste
ceramic cartridge CAR-K28A
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
TEF-100/SB-C/P

Stocked In
UK / Dubai

Eto 2.5 l/m flow regulator fitted as standard





2 hole basin mixer
single lever
wall mounted
with rectangular backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" female connection inlets
min-max wall mount 52-72
minimum operating pressure 1.0 bar MP

chrome
TEF-109S/A-C/P

Stocked In
UK



Eto 3 l/m flow regulator fitted as standard



Té
2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" x 55mm fitted tails
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP

chrome
TE-137-C/P

Stocked In
UK





Té
2 hole bath shower mixer
deck mounted
with Mix² single function handset
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" x 55mm fixed tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
TE-130+K-C/P

Stocked In
UK

Eto FR-SHOWER/9-C/P




Synergie
waterfall bath spout
wall mounted
1/2" x 44mm threaded connection
brass inlet tube SYN-140-CONNECTOR
minimum operating pressure 1.0 bar MP

chrome
SYN-140/W-C/P

Stocked In
UK


NEW



push type bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-21mm
minimum operating pressure 1.0 bar MP

chrome
WG-81389/SQ-C/P

Stocked In
UK / Dubai



Té
exposed thermostatic shower valve 1/2"
wall mounted
thermostatic cartridge V-001A-PLA
flow cartridge TE-002B-1/2
3/4" x 1/2" x 50mm male eccentrics
minimum operating pressure 0.2 bar LP

chrome
TE-149T-C/P

FR-SHOWER/9-C/P

Stocked In
UK




PLEASE SEE PAGE 235 FOR
MANUAL SHOWERS

PLEASE SEE PAGE 191 FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE 311 FOR
LEVEL COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
TE-100/CC-C/P

Stocked In
UK / Dubai

ETB FR-100/5-PLA



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
TE-100/SB-C/P

Stocked In
UK / Dubai

US hoses
TE-100/SB/US-C/P

UK

ETB FR-100/5-PLA



extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
TE-100E/SB-C/P

Stocked In
UK / Dubai

US hoses
TE-100E/SB/US-C/P

UK

ETB FR-100/5-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge CAR-K25A/TE
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
TE-100M/CC-C/P

Stocked In
UK

ETB FR-FLEXI/5-PLA
(2 are required)



mini mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K25A/TE
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP


chrome
TE-100M/SB-C/P

Stocked In
UK

FR-FLEXI/5-PLA
(2 are required)

US hoses
TE-100M/SB/US-C/P

UK





mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar LP

chrome
TE-110-C/P

Stocked In
Dubai



FR-100/5-PLA



2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" x 55mm fitted tails
deck mount drill hole diameter 2 x 28-30mm
minimum operating pressure 0.2 bar LP

chrome
TE-137-C/P

Stocked In
UK





2 hole bath shower mixer
deck mounted
with Mix² single function handset
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" x 55mm fixed tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
TE-130+K-C/P

Stocked In
UK

FR-SHOWER/9-C/P





exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K40B
1/2" x 3/4" x 45mm eccentrics connections
minimum operating pressure 1.5 bar MP

chrome
TE-123-C/P

Stocked In
Dubai

ETB FR-SHOWER/9-C/P




Notion
bath spout
wall mounted
1/2" inlet
minimum operating pressure 0.2 bar LP

chrome
NOT-140-C/P

Stocked In
UK / Dubai


NEW



push type bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-21mm
minimum operating pressure 1.0 bar MP

chrome
WG-81389/SQ-C/P

Stocked In
UK / Dubai



exposed thermostatic shower valve 1/2"
wall mounted
thermostatic cartridge V-001A-PLA
flow cartridge TE-002B-1/2
3/4" x 1/2" x 50mm male eccentrics
minimum operating pressure 0.2 bar LP

chrome
TE-149T-C/P

Stocked In
UK

ETB FR-SHOWER/9-C/P




PLEASE SEE PAGE **235** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **197** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **311** FOR
LEVEL COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with directional water flow aerator
with optional base ring
ceramic cartridge CAR-K35B
2 x 1/2" x 400mm flexpipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
LIF-100/CC-C/P

Stocked In
UK

ETB FR-100/5-B-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with directional water flow aerator
with optional base ring
ceramic cartridge CAR-K35B
2 x 1/2" x 400mm flexpipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
LIF-100/SB-C/P

Stocked In
UK / Dubai

ETB FR-100/5-B-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with directional water flow aerator
ceramic cartridge LIF-100M-CAR
2 x 1/2" x 400mm flexpipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
LIF-100M/CC-C/P

Stocked In
UK

ETB FR-100/5-B-PLA





mini mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with directional water flow aerator
ceramic cartridge LIF-100M-CAR
2 x 1/2" x 400mm flexpipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
LIF-100M/SB-C/P

Stocked In
UK

ETB FR-100/5-B-PLA





2 hole basin mixer
single lever
wall mounted
with 200mm spout
with oval backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
LIF-109S/A-200-C/P

Stocked In
UK

FR-106/5-PLA




2 hole basin mixer
single lever
wall mounted
with 230mm spout
with oval backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
LIF-109S/A-C/P

Stocked In
UK / Dubai

FR-106/5-PLA




mono bidet mixer
single lever
deck mounted
smooth bodied
without pop-up waste
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
LIF-110/SB-C/P

Stocked In
UK / Dubai

FR-100/5-PLA




mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
LIF-110-C/P

Stocked In
Dubai


FR-100/5-PLA



2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
LIF-137-C/P

Stocked In
UK




2 hole bath shower mixer
deck mounted
with shower kit
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
LIF-130+K-C/P

Stocked In
UK

Eto FR-SHOWER/9-C/P




4 hole bath shower mixer
single lever
deck mounted
with water flow straightener
ceramic cartridge CAR-K40A
2 x 10mm (1/2") flexipipe connection on valve
2 x 1/2"x1/2" flexipipe
1 x 1/2"x1/2" x 150cm shower hose
4 x 600mm flexipipe connections
valve deck mount drill hole diameter 32mm
spout deck mount drill hole diameter 28mm
diverter deck mount drill hole diameter 28mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome
LIF-132-C/P

Stocked In
UK / Dubai

Eto FR-FLEXI/8-PLA




3 hole bath shower mixer
single lever
deck mounted
without spout
for use with bath filler waste and overflow
ceramic cartridge CAR-K40A
2 x 10mm (1/2") flexipipe connection on valve
1 x 1/2"x1/2" flexipipe
1 x 1/2"x1/2" x 150cm shower hose
3 x 600mm flexipipe connections
valve deck mount drill hole diameter 32mm
diverter deck mount drill hole diameter 28mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome
LIF-132/NS-C/P

Stocked In
UK

Eto FR-FLEXI/8-PLA




bath shower mixer
single lever
floor mounted
with shower kit
with water flow aerator
ceramic cartridge CAR-K35A
2 x 1/2" female inlets
clearance 920mm from floor to spout
minimum operating pressure 3.0 bar HP

chrome
LIF-133+K-C/P

Stocked In
UK


FR-FLEXI/8-PLA



bath spout
wall mounted
with water flow aerator
1/2" x 45mm male threaded connection
easy cut thread at 20mm and 40mm
wall mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome
LIF-140-C/P


Stocked In
UK / Dubai





pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP

chrome
WG-81552-C/P

Stocked In
UK




ECO^{H2} FR-FLEXI/8-PLA

E^{H₂}Co FR-FLEXI/8-PLA $\text{E}^{\text{H}_2}\text{CO}$ FR-100/5-PLA

to save water just add the code shown next to the symbol to your order (see page 347 for further information)






mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
SEN-100-C/P

Stocked In
UK

Eto FR-100/5-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
SEN-100/CC-C/P

Stocked In
UK

Eto FR-100/5-PLA



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 400mm flexipipe connection
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
SEN-100/SB-C/P

Stocked In
UK

US hoses
SEN-100/SB/US-C/P

UK

Eto FR-100/5-PLA



extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
SEN-100E/SB-C/P

Stocked In
UK

US hoses
SEN-100E/SB/US-C/P

UK

Eto FR-100/5-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-005-N25
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
SEN-100M/CC-C/P

Stocked In
UK

Eto FR-FLEXI/5-PLA
(2 are required)



mini mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-005-N25
2 x 1/2" x 400mm flexpipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP


chrome
SEN-100M/SB-C/P

Stocked In
UK

Eco FR-FLEXI/5-PLA
(2 are required)

US hoses
SEN-100M/SB/US-C/P

UK




2 hole basin mixer
single lever
wall mounted
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" female inlets
1 x 1/2" female outlet (valve)
3/4" male thread on spout
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
SEN-109S/A-C/P

Stocked In
UK

Eco FR-100/5-PLA




2 hole bath shower mixer
deck mounted
with Zoo single function handset
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 28mm
minimum operating pressure 0.2 bar LP

chrome
SEN-130+K-C/P

Stocked In
UK


Eco FR-SHOWER/9-C/P



2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" x 50mm fitted tail connections
deck mount drill hole diameter 28mm
minimum operating pressure 0.2 bar LP

chrome
SEN-137-C/P


Stocked In
UK



zoo
bath spout
wall mounted
3/4" inlet
minimum operating pressure 0.2 bar LP

chrome
Z00-140-C/P

Stocked In
UK / Dubai




4 hole bath shower mixer
deck mounted
with shower kit
without spout
for use with bath filler waste and overflow
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
diverter cartridge ELE-DIVERTER/D-CART
2 x 3/4" x 3/4" x 600mm flexipipe connections
valve deck mount drill hole diameter 33mm
diverter deck mount drill hole diameter 46mm
handset deck mount drill hole diameter 27mm
minimum operating pressure 1.0 bar MP

chrome
SEN-135/NS-C/P

Stocked In
UK

ele FR-FLEXI/8-PLA



pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP

chrome
WG-81552-C/P


Stocked In
UK / Dubai

PLEASE SEE PAGE **236** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **199** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **319** FOR
LIFE COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K40A
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ZOO-100-C/P

Stocked In
UK / Dubai

Eto FR-100/5-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ZOO-100/CC-C/P

Stocked In
UK

Eto FR-100/5-PLA



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
ZOO-100/SB-C/P

Stocked In
UK / Dubai

US hoses
ZOO-100/SB/US-C/P

UK

Eto FR-100/5-PLA



extended mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 550mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
ZOO-100E/SB-C/P

Stocked In
UK / Dubai

US hoses
ZOO-100E/SB/US-C/P

UK

Eto FR-100/5-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-005-N25
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
ZOO-100M/CC-C/P

Stocked In
UK


Eto FR-FLEXI/5-PLA
(2 are required)



mini mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-005-N25
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
Z00-100M/SB-C/P
FR-FLEXI/5-PLA
(2 are required)


Stocked In
UK



basin pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-501-RTC
hot ceramic cartridge C-501-LTC
1/2" x 50mm fitted tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome
Z00-106-C/P
FR-106/4-PLA
(2 are required)


Stocked In
UK / Dubai



3 hole basin mixer
wall mounted
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" (male) x 90mm straight connections
1 x 1/2" x 1/2" x 1/2" (female) x 47mm
T-piece connection
min-max wall mount 45-62mm
minimum operating pressure 0.2 bar LP

chrome
Z00-109-C/P
FR-100/5-PLA


Stocked In
UK



2 hole basin mixer
single lever
wall mounted
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
1 x 1/2" outlet
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
Z00-109S/A-C/P
FR-100/5-PLA


Stocked In
UK / Dubai



mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
Z00-110-C/P
FR-100/5-PLA

Stocked In
UK / Dubai




2 hole bath shower mixer
deck mounted
with shower kit
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 28mm
minimum operating pressure 0.2 bar LP

chrome
ZOO-130+K-C/P

Stocked In
UK


ETB FR-SHOWER/9-C/P



2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 28mm
minimum operating pressure 0.2 bar LP

chrome
ZOO-137-C/P

Stocked In
UK




Celsius
exposed thermostatic bath shower mixer
wall mounted
without shower kit
with water flow aerator
with integrated diverter
thermostatic cartridge V-001C-PLA
diverter cartridge CEL-001G-V2-DIV
1/2" x 3/4" x 50mm eccentrics
minimum operating pressure 1.5 bar MP

chrome
CEL-123T-C/P

Stocked In
UK

ETB FR-SHOWER/9-C/P




Celsius
exposed thermostatic bath shower mixer
wall mounted
with shower kit
with water flow aerator
with integrated diverter
thermostatic cartridge V-001C-PLA
diverter cartridge CEL-001G-V2-DIV
1/2" x 3/4" x 50mm eccentrics
minimum operating pressure 1.5 bar MP

chrome
CEL-123T+K-C/P

Stocked In
UK

ETB FR-SHOWER/9-C/P




Celsius
2 hole thermostatic bath shower mixer
pillar mounted, without shower kit
with water flow aerator
with integrated diverter
thermostatic cartridge V-001C-PLA
diverter cartridge CEL-001G-V2-DIV
3/4" x 50mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.5 bar MP

chrome
CEL-131T-C/P

Stocked In
UK

ETB FR-SHOWER/9-C/P




Celsius
2 hole thermostatic bath shower mixer
pillar mounted, with shower kit
with water flow aerator
with integrated diverter
thermostatic cartridge V-001C-PLA
diverter cartridge CEL-001G-V2-DIV
3/4" x 50mm threaded connection on legs
deck mount drill hole diameter 28mm
minimum operating pressure 1.5 bar MP

chrome
CEL-131T+K-C/P

Stocked In
UK


ETB FR-SHOWER/9-C/P



4 hole bath shower mixer
deck mounted
without spout
for use with bath filler waste and overflow
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
2 x 3/4" x 3/4" x 600mm flexipipe connections
valve deck mount drill hole diameter 33mm
diverter deck mount drill hole diameter 46mm
handset deck mount drill hole diameter 27mm
minimum operating pressure 1.0 bar MP

chrome
Z00-135/NS-3/4-C/P


Stocked In
UK

E^{H₂}CO FR-FLEXI/8-PLA

5 hole bath shower mixer
deck mounted
with fixed spout
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
3 x 3/4" x 3/4" x 600mm flexipipe connections
valve deck mount drill hole diameter 33mm
spout deck mount drill hole diameter 28mm
diverter deck mount drill hole diameter 46mm
handset deck mount drill hole diameter 27mm
minimum operating pressure 1.0 bar MP

chrome
ZOO-135-3/4-C/P


Stocked In
UK

E^{H₂}CO FR-FLEXI/8-PLA

3 hole bath shower mixer
single lever
deck mounted
without spout
for use with bath filler waste and overflow
ceramic cartridge CAR-K40A
diverter cartridge ELE-DIVERTER/D-CART
2 x 3/4" x 3/4" x 600mm flexipipe connections
1 x 1/2" female x 3/8" male x 600mm flexipipe
connection, 1 x 1/2" nut x 350mm fitted flexipipe
connection to valve
valve deck mount drill hole diameter 40mm
diverter deck mount drill hole diameter 45mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome
ZOO-132/NS-C/P

Stocked In
UK


E^{H₂}Co FR-FLEXI/8-PLA

4 hole bath shower mixer
single lever, deck mounted
spout can swivel or be fixed
with water flow aerator
ceramic cartridge CAR-K40A
diverter cartridge ELE-DIVERter/D-CART
2 x 3/4" x 3/4" x 600mm flexipipe connections
1 x 1/2" female x 3/8" male x 600mm flexipipe
connection, 1 x 1/2" nut x 350mm fitted flexipipe
connection to valve
valve deck mount drill hole diameter 40mm
spout deck mount drill hole diameter 28mm
diverter deck mount drill hole diameter 45mm
handset deck mount drill hole diameter 28mm
minimum operating pressure 3.0 bar HP

chrome
ZOO-132-C/P

Stocked In
UK

E^{H₂}CO FR-FLEXI/8-PLA




2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K40B
1/2" x 3/4" x 45mm eccentrics
minimum operating pressure 1.5 bar MP

chrome
Z00-123-C/P

Stocked In
UK / Dubai


ETB FR-SHOWER/9-C/P



bath spout
wall mounted
3/4" inlet
minimum operating pressure 0.2 bar LP

chrome
Z00-140-C/P


Stocked In
UK / Dubai



pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP

chrome
WG-81552-C/P


Stocked In
UK / Dubai



Elements
2 outlet diverter valve
deck mounted
ceramic cartridge ELE-DIVERTER/D-CART
2 x 3/4" male inlets
1 x 3/4" male outlet
1 x 3/8" male outlet
1 x 3/4" female to 3/4" male 90° elbow
deck mount drill hole diameter 46mm
minimum operating pressure 1.0 bar MP

chrome
ELE-DIVERTER/D-C/P

Stocked In
UK



pair of valves 3/4"
deck mounted
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
3/4" x 10mm thread length male inlet
3/4" x 10mm thread length male outlet
10mm thread length
max bath thickness 25mm
deck mount drill hole diameter 33mm
minimum operating pressure 0.2 bar LP

chrome
Z00-142/PR-3/4-C/P


Stocked In
UK

PLEASE SEE PAGE **236-237** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **201** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **295** FOR
SPA COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHA-200/CC-C/P

Stocked In
UK

ETB FR-100/5-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHA-200/SB-C/P

Stocked In
UK / Dubai

ETB FR-100/5-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-001-N25
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
PHA-200M/CC-C/P

Stocked In
UK

ETB 5 l/m flow regulator fitted as standard



mini mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-001-N25
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP


chrome
PHA-200M/SB-C/P

Stocked In
UK

US hoses
PHA-200/SB/US-C/P

UK

ETB 5 l/m flow regulator fitted as standard




2 hole basin mixer
single lever
wall mounted
with rectangular backplate
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" female inlets
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
PHA-109S/A-C/P

Stocked In
UK / Dubai

ETB FR-100/5-PLA




mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
PHA-210-C/P

Stocked In
UK

ETB FR-100/5-PLA




2 hole exposed bath shower mixer
single lever
wall mounted
with shower kit
with water flow aerator
ceramic cartridge C-002-N35
2 x 1/2" inlets
1 x 1/2" shower outlet
minimum operating pressure 1.5 bar MP

chrome
PHA-123+K-C/P

Stocked In
UK

FR-SHOWER/9-C/P





2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow aerator
ceramic cartridge C-002-N35
2 x 1/2" inlets
1 x 1/2" shower outlet
minimum operating pressure 1.5 bar MP

chrome
PHA-123-C/P

Stocked In
UK / Dubai


FR-SHOWER/9-C/P



2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
PHA-137-C/P

Stocked In
UK




2 hole bath shower mixer
deck mounted
with V2 single function handset
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
1 x 1/2" shower outlet
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
PHA-130+K-C/P

Stocked In
UK

FR-SHOWER/9-C/P



Té
exposed thermostatic shower valve 1/2"
wall mounted
thermostatic cartridge V-001A-PLA
flow cartridge TE-002B-1/2
3/4" x 1/2" x 50mm male eccentrics
minimum operating pressure 0.2 bar LP

chrome
TE-149T-C/P

Stocked In
UK

FR-SHOWER/9-C/P




PLEASE SEE PAGE **237** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **205** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **299** FOR
PHASE COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHO-100/CC-C/P

Stocked In
UK

Eto FR-100/5-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-009-N35R
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
PHO-100/SB-C/P

Stocked In
UK

Eto FR-100/5-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge C-005-N25
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP

chrome
PHO-100M/CC-C/P

Stocked In
UK

Eto 5 l/m flow regulator fitted as standard



mini mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge C-005-N25
2 x 1/2" x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.5 bar LP


chrome
PHO-100M/SB-C/P

Stocked In
UK

US hoses
PHO-100M/SB/US-C/P

UK

Eto 5 l/m flow regulator fitted as standard




2 hole basin mixer
single lever
wall mounted
with oval backplate
with water flow aerator
2 x 1/2" female inlets
ceramic cartridge CAR-K35B
min-max wall mount 53-73mm
minimum operating pressure 0.2 bar LP

chrome
PHO-109S/A-C/P

Stocked In
UK

Eto FR-100/5-PLA




mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-S35/PH0
2 x 1/2" nut x 425mm flexipipe connections
deck mount drill hole diameter 34mm
minimum operating pressure 1.0 bar MP

chrome
PH0-110-C/P

Stocked In
UK


FR-100/5-PLA



2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
PH0-137-C/P

Stocked In
UK




2 hole bath shower mixer
deck mounted
with Atmosphere single function handset
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
1 x 1/2" shower outlet
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
PH0-130+K-C/P

Stocked In
UK

FR-SHOWER/9-C/P



2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
1 x 1/2" shower outlet
minimum operating pressure 1.5 bar MP

chrome
PH0-123-C/P

Stocked In
UK


FR-SHOWER/9-C/P

PLEASE SEE PAGE **238** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **207** FOR
THERMOSTATIC SHOWERS


PLEASE SEE PAGE **303** FOR
PHOTON COORDINATING ACCESSORIES






chrome
ION-100/CC-C/P
Eco FR-100/5-PLA


chrome
ION-100/SB-C/P
Eco FR-100/5-PLA




chrome
ION-100/SB-C/P
Eco FR-100/5-PLA




chrome	Stocked In
ION-100M/CC-C/P	UK
Eto 5 l/m flow regulator fitted as standard	



chrome Stocked In
ION-100M/SB-C/P UK




chrome
ION-106-C/P
E^{H2}o FR-106/4-PLA
(2 are required)



bath pillar taps
single lever
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
minimum operating pressure 0.2 bar LP

chrome
ION-136-C/P

Stocked In
UK




mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" nut x 425mm flexipipe connections
deck mount drill hole diameter 34mm
minimum operating pressure 1.0 bar MP

chrome
ION-110-C/P

Stocked In
UK


FR-100/5-PLA



2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
ION-137-C/P

Stocked In
UK




2 hole bath shower mixer
single lever
deck mounted
with Atmosphere single function handset
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
ION-130+K-C/P

Stocked In
UK

FR-SHOWER/9-C/P



2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" inlets
1 x 1/2" shower outlet
minimum operating pressure 1.5 bar MP

chrome
ION-123-C/P

Stocked In
UK / Dubai


FR-SHOWER/9-C/P

PLEASE SEE PAGE **238** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **201** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **303** FOR
PHOTON COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with directional aerator
ceramic cartridge C-003-N35
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ASC-100/CC-C/P

Stocked In
UK

E8b FR-100/5-A-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with directional aerator
ceramic cartridge C-003-N35
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ASC-100/SB-C/P

Stocked In
UK / Dubai

E8b FR-100/5-A-PLA




mono sink mixer
single lever
deck mounted
with directional aerator
with swivel spout
ceramic cartridge CAR-K35A
minimum operating pressure 0.2 bar LP

chrome
ASC-150-C/P

Stocked In
UK / Dubai

E8b FR-100/5-A-PLA




mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K35A
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP

chrome
ASC-110-C/P

Stocked In
UK


E8b FR-FLEXI/5-PLA
(2 are required)



2 hole bath filler
deck mounted
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
ASC-137-C/P

Stocked In
UK




2 hole bath shower mixer
deck mounted
with Atmosphere single function handset
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" fitted tails
1 x 1/2" shower outlet
deck mount drill hole diameter 28-30mm
minimum operating pressure 0.2 bar LP

chrome
ASC-130+K-C/P

Stocked In
UK

FR-SHOWER/9-C/P



2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
ceramic cartridge CAR-K35B
2 x 1/2" inlets
1 x 1/2" shower outlet
minimum operating pressure 1.5 bar MP

chrome
ASC-123-C/P

Stocked In
UK / Dubai


FR-SHOWER/9-C/P

PLEASE SEE PAGE **239** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **207** FOR
THERMOSTATIC SHOWERS

PLEASE SEE PAGE **295** FOR
SPA COORDINATING ACCESSORIES






mono basin mixer
deck mounted
with swivel spout
with pop-up waste
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ELW-100-C/P

Stocked In
UK

ETB FR-100/5-PLA




mono basin mixer
deck mounted
with swivel spout
smooth bodied
with universal basin waste
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ELW-100/CC-C/P

Stocked In
UK

ETB FR-100/5-PLA




mono basin mixer
deck mounted
with swivel spout
smooth bodied
without universal basin waste
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
ELW-100/SB-C/P

Stocked In
UK

ETB FR-100/5-PLA




3 hole basin mixer
with swivel spout
deck mounted
with pop-up waste
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" nut x 600mm flexipipe connections
valve deck mount drill hole diameter 27mm
spout deck mount drill hole diameter 30mm
minimum operating pressure 0.2 bar LP

chrome
ELW-101-C/P

Stocked In
UK

ETB FR-100/5-PLA




3 hole basin mixer with 200mm spout
wall mounted
with water flow aerator
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
2 x 1/2" x 1/2" male x 90mm straight connections
1/2" x 1/2" x 1/2" female x 50mm T-piece connection
min-max wall mount 40-50mm
minimum operating pressure 0.2 bar LP

chrome
ELW-109L-C/P

FR-100/5-PLA

Stocked In
UK




3 hole bath filler with 200mm spout
wall mounted
with water flow straightener
with water flow aerator
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
2 x 1/2" x 3/4" male x 90mm straight connections
1/2" x 1/2" x 1/2" female x 50mm T-piece connection
min-max wall mount 55-75mm
minimum operating pressure 0.2 bar LP

chrome
ELW-126L-3/4-C/P

FR-100/5-PLA

Stocked In
UK




5 hole bath shower mixer
deck mounted
with fixed spout
with water flow straightener
with water flow aerator
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
3 x 3/4" x 3/4" x 600mm flexipipe connections
valve deck mount drill hole diameter 33mm
spout deck mount drill hole diameter 28mm
diverter deck mount drill hole diameter 46mm
handset deck mount drill hole diameter 27mm
minimum operating pressure 1.0 bar MP

chrome
ELW-135-3/4-C/P

FR-FLEXI/8-PLA

Stocked In
UK




4 hole bath shower mixer
deck mounted
without spout
for use with bath filler waste and overflow
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
2 x 3/4" x 3/4" x 600mm flexipipe connections
valve deck mount drill hole diameter 33mm
diverter deck mount drill hole diameter 46mm
handset deck mount drill hole diameter 27mm
minimum operating pressure 1.0 bar MP

chrome
ELW-135/NS-3/4-C/P

FR-FLEXI/8-PLA


Stocked In
UK



2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 28mm
minimum operating pressure 0.2 bar LP

chrome
ELW-137-C/P

Stocked In
UK




2 hole bath shower mixer
deck mounted
with shower kit
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 28mm
minimum operating pressure 0.2 bar LP

chrome
ELW-130+K-C/P

Stocked In
UK


FR-SHOWER/9-C/P



pop-up bath filler waste and overflow
2 x 1/2" inlets (one is blanked off)
1.1/2" x 10mm threaded outlet connection
min-max overflow bath thickness 1mm-11mm
minimum operating pressure 1.0 bar MP

chrome
WG-81552-C/P


Stocked In
UK / Dubai



pair of stop valves, 3/4"
deck mounted
cold ceramic cartridge C-303-RTC
hot ceramic cartridge C-303-LTC
3/4" male inlet
3/4" male outlet
10mm thread length
deck mount drill hole diameter 33mm
minimum operating pressure 0.2 bar LP

chrome
ELW-142/PR-3/4-C/P

Stocked In
UK



Elements
2 outlet diverter valve
deck mounted
ceramic cartridge ELE-DIVERTER/D-CART
2 x 3/4" male inlets
1 x 3/4" male outlet
1 x 3/8" male outlet
1 x 3/4" female to 3/4" male 90° elbow
deck mount drill hole diameter 46mm
minimum operating pressure 1.0 bar MP

chrome
ELE-DIVERTER/D-C/P

Stocked In
UK


PLEASE SEE PAGE 209 FOR

ELEMENTS COORDINATING SHOWERS

PLEASE SEE PAGE 323 FOR

ELEMENTS COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K40B
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
MAG-100-C/P

Stocked In
UK / Dubai

Eto FR-100/5-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge CAR-K40B
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
MAG-100/CC-C/P

Stocked In
UK

Eto FR-100/5-PLA




mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K40B
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
MAG-100/SB-C/P

Stocked In
UK

Eto FR-100/5-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
MAG-100M/CC-C/P

Stocked In
UK

Eto FR-100/5-PLA




mini mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K35B
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
MAG-100M/SB-C/P

Stocked In
UK

FR-100/5-PLA




basin pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-206-RTC
hot ceramic cartridge C-206-LTC
1/2" x 50mm fitted tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome
MAG-106-C/P

Stocked In
UK / Dubai


FR-106/4-PLA
(2 are required)



bath pillar taps
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
MAG-136-C/P


Stocked In
UK



2 hole bath filler
deck mounted
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
3/4" x 55mm fitted tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
MAG-137-C/P

Stocked In
UK




2 hole bath shower mixer
deck mounted
with eris shower kit
with water flow straightener
cold ceramic cartridge C-302-RTC
hot ceramic cartridge C-302-LTC
2 x 3/4" x 55mm fitted tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
MAG-130+K-C/P

Stocked In
UK

Eto FR-SHOWER/9-C/P




2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow aerator
with water flow straightener
ceramic cartridge CAR-K40B
3/4" x 1/2" x 40mm eccentrics
minimum operating pressure 1.0 bar MP

chrome
MAG-123-C/P

Stocked In
Dubai

Eto FR-SHOWER/9-C/P



mono sink mixer
single lever
deck mounted
with swivel spout
with water flow straightener
with water flow aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
MAG-150-C/P

Stocked In
UK

US hoses
MAG-150/US-C/P

UK

Eto FR-100/5-PLA



2 hole exposed shower valve
single lever
wall mounted
without shower kit
ceramic cartridge CAR-K40A
3/4" x 1/2" x 40mm eccentrics
minimum operating pressure 1.0 bar MP

chrome
MAG-149-C/P


Stocked In
Dubai

Eto FR-SHOWER/9-C/P

PLEASE SEE PAGE **239** FOR
MANUAL SHOWERS

PLEASE SEE PAGE **307** FOR
INFINITY COORDINATING ACCESSORIES





mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K40A/MAT
2 x 1/2" nut x 340mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
MAT-100-C/P

Stocked In
UK / Dubai

US hoses
MAT-100/US-C/P

UK

Eto FR-100/5-PLA



mono basin mixer
single lever
deck mounted
smooth bodied
with universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A/MAT
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
MAT-100/CC-C/P

Stocked In
UK

US hoses
MAT-100/CC/US-C/P

UK

Eto FR-100/5-PLA



mono basin mixer
single lever
deck mounted
smooth bodied
without universal basin waste
with water flow aerator
ceramic cartridge CAR-K40A/MAT
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
MAT-100/SB-C/P

Stocked In
UK / Dubai

US hoses
MAT-100/SB/US-C/P

UK

Eto FR-100/5-PLA




basin pillar taps
deck mounted
with water flow aerator
ceramic cartridge MAT-VALVE/CD/CL-1/2 & MAT-VALVE/CD/HT-1/2
1/2" x 50mm tail connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP

chrome
MAT-106-C/P

Stocked In
UK / Dubai


Eto FR-106/4-PLA
(2 are required)



bath pillar taps
deck mounted
with water flow aerator
ceramic cartridge MAT-VALVE/CD/CL-1/2 &
MAT-VALVE/CD/HT-1/2
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
MAT-136-C/P

Stocked In
UK



mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
ceramic cartridge CAR-K40A/MAT
2 x 1/2" nut x 340mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 1.0 bar MP


chrome
MAT-110-C/P

Stocked In
UK / Dubai

US hoses
MAT-110/US-C/P

UK


FR-100/5-PLA



2 hole bath filler
deck mounted
with water flow straightener
ceramic cartridges MAT-VALVE/CD/CL-3/4
and MAT-VALVE/CD/HT-3/4
3/4" x 50mm fitted tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
MAT-137-C/P

Stocked In
UK




2 hole bath shower mixer
deck mounted
with eris shower kit
with water flow straightener
ceramic cartridges MAT-VALVE/CD/CL-3/4
and MAT-VALVE/CD/HT-3/4
2 x 3/4" x 50mm fitted tail connections
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
MAT-130+K-C/P

Stocked In
UK

ETB FR-SHOWER/9-C/P



2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow aerator
ceramic cartridge CAR-K40A/MAT
3/4" x 1/2" x 40mm eccentrics
minimum operating pressure 1.5 bar MP

chrome
MAT-123-C/P

Stocked In
UK / Dubai

ETB FR-SHOWER/9-C/P



mono sink mixer
single lever
deck mounted
with swivel spout
with water flow aerator
ceramic cartridge CAR-K40A/MAT
2 x 1/2" nut x 350mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
MAT-150-C/P

Stocked In
UK / Dubai

US hoses
MAT-150/US-C/P


UK

ETB FR-100/5-PLA

PLEASE SEE PAGE 240 FOR
MANUAL SHOWERS

PLEASE SEE PAGE 303 FOR
PHOTON COORDINATING ACCESSORIES






mono basin mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
with water flow straightener
ceramic cartridge CAR-K40B
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
CHE-100-C/P

Stocked In
Dubai

Eto FR-100/5-PLA





mono bidet mixer
single lever
deck mounted
with pop-up waste
with water flow aerator
with water flow straightener
ceramic cartridge CAR-K40B
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP

chrome
CHE-110-C/P

Stocked In
Dubai

Eto FR-100/5-PLA




2 hole exposed bath shower mixer
single lever
wall mounted
without shower kit
with water flow aerator
with water flow straightener
ceramic cartridge CAR-K40B
3/4" x 1/2" x 40mm eccentrics
minimum operating pressure 1.5 bar MP

chrome
CHE-123-C/P

Stocked In
Dubai

Eto FR-SHOWER/9-C/P




2 hole exposed shower valve
single lever
wall mounted
without shower kit
ceramic cartridge CAR-K40A
3/4" x 1/2" x 40mm eccentrics
minimum operating pressure 0.2 bar LP

chrome
CHE-149-C/P

Stocked In
Dubai

Eto FR-SHOWER/9-C/P



mono sink mixer
single lever
deck mounted
with swivel spout
with water flow aerator
with water flow straightener
ceramic cartridge CAR-K40A
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
CHE-150-C/P

Stocked In
UK / Dubai

US hoses
CHE-150/US-C/P

UK

FR-100/5-PLA



mono sink mixer
single lever
deck mounted
with swivel spout
with pull out hand spray
with shower spray type head aerator
ceramic cartridge CAR-K40A
2 x 1/2" nut x 300mm flexipipe connections
deck mount drill hole diameter 38mm
minimum operating pressure 1.0 bar MP


chrome
CHE-152-C/P

Stocked In
UK / Dubai

FR-FLEXI/5-PLA
(2 are required)

US hoses
CHE-152/US-C/P

UK



exposed sink mixer
single lever
wall mounted
with swivel spout
ceramic cartridge CAR-K40A
3/4" x 1/2" x 40mm eccentrics
aerator and flow straightener supplied
minimum operating pressure 1.0 bar MP

chrome
CHE-154-C/P


Stocked In
Dubai

FR-100/5-PLA

PLEASE SEE PAGE 240 FOR
MANUAL SHOWERS

PLEASE SEE PAGE 323 FOR
ELEMENTS COORDINATING ACCESSORIES





mono basin mixer
with pop-up waste
with water flow straightener
with water flow aerator
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 400mm flexipipe connections
deck mount drill hole diameter 35mm
minimum operating pressure 0.2 bar LP


chrome
VIC-100/CD-C/P

US hoses
VIC-100/CD/US-C/P

Eto FR-100/5-PLA

Stocked In
UK / Dubai

UK




3 hole basin mixer
deck mounted
with fixed spout
without pop-up waste
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" male inlet
spout deck mount drill hole diameter 28mm
valve deck mount drill hole diameter 28mm
chrome or antique gold
minimum operating pressure 0.2 bar LP

chrome
VIC-101/CD-C/P

Eto FR-106/4-PLA
(2 are required)

Stocked In
UK



basin pillar taps
deck mounted
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 50mm threaded connections
deck mount drill hole diameter 22mm
minimum operating pressure 0.2 bar LP


chrome
VIC-106/CD-C/P

Eto FR-106/4-PLA
(2 are required)

VIC-106/CD/CL-C/P
cold only basin pillar

Eto FR-106/4-PLA

Stocked In
UK / Dubai




3 hole basin mixer
wall mounted
with water flow straightener
cold ceramic cartridge C-205-RTC
hot ceramic cartridge C-205-LTC
2 x 1/2" male inlet
minimum operating pressure 0.2 bar LP

chrome
VIC-109/CD-C/P

Eto FR-106/4-PLA
(2 are required)

Stocked In
UK




mono bidet mixer
deck mounted
with pop-up waste
with water flow aerator
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
2 x 1/2" nut x 300mm flexipipe connections
minimum operating pressure 0.2 bar LP

chrome
VIC-110/CD-C/P

Stocked In
UK / Dubai


FR-100/5-PLA



bath pillar taps
deck mounted
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
3/4" x 50mm threaded tails
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
VIC-136/CD-C/P

Stocked In
UK




bath shower mixer
pillar mounted
with shower kit
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
3/4" x 50mm threaded connections (on legs)
deck mount drill hole diameter 27mm
minimum operating pressure 0.2 bar LP

chrome
VIC-131/S/CD-C/P

Stocked In
UK / Dubai

FR-SHOWER/9-C/P




bath shower mixer
wall mounted
with shower kit
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 3/4" x 40mm eccentrics
minimum operating pressure 0.2 bar LP

chrome
VIC-120/CD-C/P

Stocked In
UK / Dubai

FR-SHOWER/9-C/P




exposed bath shower mixer
wall mounted
with rigid riser kit
with water flow straightener
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 3/4" x 40mm eccentrics
3/4" threaded outlet for rigid riser
minimum operating pressure 0.2 bar LP

chrome
VIC-121/R/CD-C/P

Stocked In
Dubai

ETB FR-SHOWER/9-C/P




2 hole sink mixer
wall mounted
with swivel spout
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 3/4" x 40mm eccentrics
minimum operating pressure 0.2 bar LP

chrome
VIC-154G/CD-C/P

Stocked In
UK / Dubai

ETB FR-SHOWER/9-C/P



bath shower mixer
floor mounted
with shower kit
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
minimum operating pressure 0.2 bar LP

chrome
VIC-133/CD+K-C/P

Stocked In
UK

ETB FR-SHOWER/9-C/P


PLEASE SEE PAGE 211 FOR

WESTBURY COORDINATING SHOWERS


PLEASE SEE PAGE 327 FOR

TOURNAMENT COORDINATING ACCESSORIES






UK




UK

Three different styles of chrome faucets with white ceramic handles. On the left is a single-lever faucet. In the center is a traditional two-lever faucet. On the right is a modern, curved two-lever faucet.




UK



11K

to save water just add the code shown next to the symbol to your order (see page 347 for further information)



exposed bath shower mixer
pillar mounted
with shower kit
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
3/4" x 50mm threaded connections (on legs)
minimum operating pressure 0.2 bar LP


chrome / white
KEN-131/CD-C/P

Stocked In
UK

chrome / black
KEN-231/CD-C/P

UK

 FR-SHOWER/9-C/P



exposed bath shower mixer
wall mounted
with shower kit
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
1/2" x 3/4" x 40mm eccentrics
minimum operating pressure 0.2 bar LP


chrome / white
KEN-120/CD-C/P

Stocked In
UK

chrome / black
KEN-220/CD-C/P

UK

 FR-SHOWER/9-C/P



exposed bath shower mixer
floor mounted
with shower kit
cold ceramic cartridge C-201-RTC
hot ceramic cartridge C-201-LTC
3/4" x 50mm threaded connections (on legs)
minimum operating pressure 0.2 bar LP

chrome / white
KEN-133/CD+K-C/P

Stocked In
UK

chrome / black
KEN-233/CD+K-C/P

UK

 FR-SHOWER/9-C/P

PLEASE SEE PAGE 211 FOR
WESTBURY COORDINATING SHOWERS

PLEASE SEE PAGE 327 FOR
TOURNAMENT COORDINATING ACCESSORIES

